

**NINCDS COLLABORATIVE
PERINATAL PROJECT
A User's Guide to the Project and Data**

**Volume II: Project Study Forms
and Documentation of Transfer
to Computerized Data Items
in Master File**

**Part C: Pathological Exams
and Autopsies**

December 1983

**Prepared for
the National Institute of Neurological
and Communicative Disorders and Stroke
under Contract 2311105150**

 **Battelle**
Pacific Northwest Laboratories

LEGAL NOTICE

This report was prepared by Battelle as an account of sponsored research activities. Neither Sponsor nor Battelle nor any person acting on behalf of either:

MAKES ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, process, or composition disclosed in this report may not infringe privately owned rights; or

Assumes any liabilities with respect to the use of, or for damages resulting from the use of, any information, apparatus, process, or composition disclosed in this report.

NINCDS COLLABORATIVE PERINATAL PROJECT:
A USER'S GUIDE TO THE PROJECT AND DATA

Volume II. Project Study Forms and Documentation
of Transfer to Computerized Data Items
in Master File

Part C. Pathological Exams and Autopsies

NR Hinds
A Brix

JS Littlefield
CR Watson

December 1983

Prepared for
National Institute of Neurological
and Communicative Disorders and Stroke
under Contract 2311105150

Battelle
Pacific Northwest Laboratories
Richland, Washington 99352

INTRODUCTION

DOCUMENT OBJECTIVES AND READER ASSUMPTIONS

Volume II, Project Study Forms and Documentation of Transfer to Computerized Data Items in Master File, provides researchers with detailed documentation for how data were collected, coded and stored on the data base. Volume II will help investigators decide: if data were collected in a suitable way for addressing particular research questions; if revision of forms affected the collection of specific data items; if data were coded on master, variable or work files, or are available only on microfilm. The reader is assumed to be the principal investigator for a project in which data from the data base will be used.

DOCUMENT STRUCTURE

Because of its size, this volume is divided into ten separate parts, each containing material on a group of forms related by subject. Each part groups together similar study forms. Generally, a part covers a single time period. The parts do not correspond exactly to the hierarchical classification structure described in Volume I. The parts of Volume II include:

- A. Prenatal Record and Medical History
- B. Labor and Delivery
- C. Pathological Exams and Autopsies
- D. Family and Socioeconomic History
- E. Neonatal Exams and Observations
- F. Pediatric and Neurological Exams, Four Months - One Year
- G. Pediatric Neurological Exams, Seven Years
- H. Psychological Exams, Eight Months
- I. Psychological Exams, Four Years and Seven Years
- J. Speech, Language and Hearing Exams, Three Years and Eight Years (Final)

This part of Volume II contains Part C: Pathological Exams and Autopsies and includes Forms PATH-1, PATH-2 and PATH-3.

To allow easy access to the data as they appear on the master file, all documentation for each form or form grouping representing a card series on the master file is identified by form number appearing at the bottom of each page. Forms are arranged in what may appear to be illogical numerical order in some cases, but the arrangement presented here ties forms and their revisions together and allows an investigator to trace an item through all revision cycles. Thus, in Part A of Volume II, OB-42 follows OB-9 and OB-10 appears next to OB-44 and OB-45. (For an explanation of how the master file was organized to result in this ordering, see the next section of the Introduction.)

All material related to a form is organized as a single unit within each part of Volume II. The material included for each form is given below in the order it appears:

- Descriptive Summary of Form. Includes purpose of form, history of use, revisions and location of records stored on Master File. A table is provided for each form (except those on microfilm only) showing the number of records available for each revision.
- Data Items Referencing Form. A list of all data items in computer files originating from form. List ordered by data item identification with reference to item number on form.
- Form. Copy of last revision of form.
- Form item numbers linked to data items. A list organized by form item numbers of all computerized data items originating from the form.
- Definition of codes. Coding instructions detailing the codes assigned to each computerized data item from the form.
- Master File Card Image. Illustrates transfer of data on form to Master file card.
- Instructions for Completing Form. The instructions used by study personnel to complete the form for each case.
- Earlier Forms or Manuals. Copies of earlier versions of forms or manuals that were used during the study.

MASTER FILE ORGANIZATION AND REVISION OF FORMS

Some understanding of how the master file was organized should aid investigators who want to trace the entry of data into computerized study files. The numbering system used both on forms and cards provides information on how data may be retrieved from the master file.

Forms

The first forms used in the study were the OB forms; as a consequence, this group of forms underwent the most revision. At first glance, it appears that forms disappear from the file and reappear in strange or bewildering places. In actuality, revisions were made according to a specific method.

Two types of revision and subsequent recodes appear in the master file, both of which appear in the OB series. In the first type of revision, radical changes in the concept of a form created a need for new coding in the computer file. Form OB-9, for example, was replaced by forms OB-40 (an optional form retained by the institution), OB-42, and OB-43 in April 1962. Data for earlier patients were recorded on OB-9 and entered on cards 1309, 2309, 3309 and 4309 of the master file; after April 1962, data was recorded on OB-42 and OB-43 and were entered on cards 0342, 1343 and 2343 of the master file.

In the second type of revision, the Collaborative Perinatal Task Force considered revisions important enough to warrant the distinction of a new form number, but considered the data for both forms to be similar enough to allow combining of data from both the old and new forms on the same card series. An example of this type of revision is form OB-35, replaced by OB-57 in April 1962. Records for both OB-35 and OB-57 are entered on cards 0357, 1357, 2357, 3357, 4357, and 5357 in the master file.

In assigning numbers to forms and their revisions, designers of the study followed a plan: prenatal records, history, and summaries of the prenatal period received numbers 1 through 15; when revised, these forms were assigned numbers in the forties. Labor and hospital records appeared on the 30 series of forms. When these forms were revised, they were assigned numbers in the fifties. Some OB data in the master file were abstracted by NINCDS staff members from forms filled out at the hospital. Cards derived from this procedure were designated as coming from forms ADM-49, 50 and 51 (which were actually ABSTRACT SHEETS). Autopsy protocol and laboratory exams of the placenta were recorded on forms PATH-1, PATH-2 and PATH-3.

Forms for recording family health history and genetic information during pregnancy also received a fair amount of revision. Early records appear on forms FHH-1,2,3 and 4. With revisions in April 1963, form SE-1 replaces part of FHH-1 and FHH-3; FHH-2, FHH-4 and parts of FHH-1 and FHH-3 were replaced by

forms GEN-5 through GEN-8 in May 1961. Form FHH-9, initiated in November 1965 for collection of socioeconomic data at time the child was seven years of age, was not replaced or revised.

The PED series of forms underwent little revision. Records for newborn babies appeared in PED-1 through PED-8; records for children up to age one and interval records were placed on PED-10 through PED-29. Seven year records were included in the series numbered PED-74 and up. Only one pediatrics form was radically revised: PED-7 was replaced by PED-8 in March 1963.

No replacements occur in the PS series, where results of psychological and speech, language and hearing tests were recorded. The PS forms are divided into distinct groups based on time of testing and subject of testing. Psychological testing occurred at 8 months, 4 years and 7 years; speech, language and hearing exams were administered at ages 3 and 8. Only the 8 month psychological examination underwent substantial revisions.

Master File Card Number and NINDB Case Number Rationale

Computer cards for each NCPP study form are numbered to reflect their origin and possible revisions. Card numbers are assigned to identify the type of data (subject), the presence of multiple cards in a series, NCPP study form and form revisions. The first five digits of each card on the master file are the card number. The study forms and card numbers are given in Figure 1.

The first fourteen columns of each master file computer card contain the master file card number and the NINDB case number. Table 1 identifies the function of each of these columns.

Column 1 identifies multiple cards in a series. It contains a zero for cards unique to a particular form (that is, no other cards are present), for example OB-3, or for cards where repetitive data are contained. Cards for OB-2 are an example of this second type; no new categories of information are included on successive cards, but previous births in excess of four must be recorded on an add-on card. For card series where data entered are unique to a card and more than one card is required to complete the series, a "1" is used to designate the first card, for example OB-5. OB-57, PATH-2 and PED-14 are exceptions to these rules.

TABLE 1. Derivation of Master File Card Number and NINDB Case Number.

<u>Contents</u>	<u>Columns</u>
Master File Card Number	
card identifier	1
general subject matter	2
form number	3-4
revision code	5
NINDB Case Number	
collaborating institution	6-7
type of patient selection	8
gravidia identification number	9-12
order of the pregnancy	13
identifies child or gravida	14

The second digit on the card reveals the general subject matter covered by data on the card. All cards containing information pertaining to obstetrics, for example, are designated by a "3" in column 2; family histories are designated by a "5"; pathology with a "2"; pediatrics, with a "4"; and psychological testing with a "1".

Columns three and four reveal the form number. In the case of forms where old and new forms having different numbers are included together, the number of the latest form appears on the master file. This rule does not apply to data abstracted from several forms by NINCDS staff (ADM forms).

Column 5 of the card contains a revision code indicating which form or combination of forms was used in arriving at data on a particular card. A typical card will have one to three revision codes, with a zero indicating the first version of a form and "1", "2", and "3" indicating later revisions. As a rule, revision codes used on cards differ from card to card; investigators should check the definition of codes provided in Volume II to determine the meaning of revision codes used.

Each woman and child studied in the project received a unique case number (NINDB case number) composed of nine digits, recorded in columns 6 through 14 of all master file cards. The case number identified the institution, the mother and the child. The first two digits represented the collaborating institution (see Table 2). The third digit indicated the type of patient

selection. A "1" was used for patients selected for the central core study; a "6" indicated that a patient had been transferred from one institution to another, and a "7" indicated that the patient was part of a special study undertaken by the collaborating institution. The fourth through seventh digits were used to identify the gravida, while the eighth digit identified the order of the pregnancy of a given gravida in the project. The ninth digit was used to identify the gravida or child of the pregnancy; "9" indicated the gravida, "0" indicated the child of a single birth, "1" indicated the first child of a multiple birth, "2" indicated the second child of a multiple birth, etc.

TABLE 2. Collaborating Institutions and Their Code Number
(Columns six and seven of all master file cards.)

05 - <u>Boston, Massachusetts</u> Harvard Medical School Boston Lying-In Hospital Children's Hospital Medical Center	50 - <u>Minneapolis, Minnesota</u> University of Minnesota Hospital Health Sciences Center
10 - <u>Buffalo, New York</u> University of Buffalo Children's Hospital	55 - <u>New York, New York</u> New York Medical College Metropolitan Hospital
15 - <u>New Orleans, Louisiana</u> Charity Hospital Tulane University School of Medicine Medical Center Louisiana State University	60 - <u>Portland, Oregon</u> University of Oregon Medical School
31 - <u>New York, New York</u> Columbia University College of Physicians & Surgeons Columbia-Presbyterian Medical Center	66 - <u>Philadelphia, Pennsylvania</u> University of Pennsylvania Pennsylvania Hospital The Children's Hospital of Philadelphia
37 - <u>Baltimore, Maryland</u> The Johns Hopkins University School of Medicine The Johns Hopkins Hospital	71 - <u>Providence, Rhode Island</u> Brown University Child Study Center
45 - <u>Richmond, Virginia</u> Virginia Commonwealth University Medical College of Virginia	82 - <u>Memphis, Tennessee</u> University of Tennessee College of Medicine Gailor Hospital

Data Item Identification and Naming

The NCPP data base contains over 6700 different data items and blank filler locations on computer files. We have assigned each of these a unique identification and a terse, stylized name. Because names were chosen to facilitate use of this guide, they do not duplicate names used by NINDB during the active phase of the project. Users should consult appropriate documentation before using data items from the master, variable or work files (Volumes II, III and IV).

The data item identifiers consist of 11 characters. At the far left are four unique numbers that were assigned sequentially. The next character is always a period and is followed by up to six characters. For data items on the master file, these characters describe the data collection form from which a data item was derived; for data items on the variable (VAR) or work (WXX) files, these characters indicate the appropriate file. If the right side is less than six characters, periods are inserted as shown in these examples:

850..OB-34	an item from OB-34; on the master file
3650.PATH-3	an item from PATH-3; on the master file
5223....VAR	an item on the variable file
6340...W-10	an item on work file 10, Rupture of Membranes

We assigned the numbers sequentially as they appear in Volume V. For the master file, we followed the order in which the cards would be found within an NINDB case. All card columns are accounted for by one of our data item identifications. For the variable and work files, the numbers were assigned in the order that data items appear within a case.

We categorized each data item according to the person to whom the data refer, by the time of measurement and/or the time to which the item applies and by general type or subject area (Table 3). Then we assigned names to the data items using the following guidelines:

- The name and the three associated categories had to stand alone - they must describe the data item out of context.
- The first word in the data item name had to be an important or key word when all names were listed alphabetically as in Volumes VI and VII. Thus "cry, abnormal" was used rather than "abnormal cry" because a

researcher is more likely to look for this item under "C" than under "A" in an alphabetic list.

- Secondary key words were preceded with a semicolon to facilitate preparation of the permuted index. For example, "abruptio; placenta" will be found under both the "A" and "P" portion of Volume VI.
- Qualifying words are delimited by commas and will not appear as keywords in Volume VI. Thus "abruptio; placenta, degree" will not be found in the "D" section.
- If medical terminology or usage has changed since the study was conducted, modern terms may be included and will be enclosed in brackets. Thus "mongolism; [Down's syndrome]" will appear under both the "M" and "D" portions of Volume VI.
- If measurement units are associated with a data item name, they are enclosed in parentheses and placed at the end of the name as in "Birthdate (yr)."
- The categories (person, time and subject) are appended to the right of the data item name.

Definitions for each category used in naming data items are given in Table 4 at the end of this introduction. Additional information is found in Chapter 4 of Volume I.

Data item names thus assigned are terse and highly stylized; as we have already indicated, they are not the names used by NINDB during the active phase of the project. Our aim was to develop standardized names that would stand alone. These names are intended to facilitate a user's search for data items potentially useful in a research project. Before an item is used, a researcher should consult its complete description. For a data item from the master files, e.g., 850..0B-34, the data item should be traced to the appropriate study form, e.g., 0B-34, located in Volume II. A variable file data item, e.g., 5223....VAR, is traced to Volume III, where it is defined and its original source given. A data item from a work file is traced to Volume IV for its description.

Some data items contained in the indexes may include the notation "DO NOT USE." These items are either inaccurate or an alternative data item is available that gives better information. Users will find more appropriate data items by consulting one of the indexes to the data items (Volumes, V, VI and VII).

Tables of Data Items: Column Headings

For each form, two sets of computer generated pages list all data items in either the master, variable or work files derived from this form. These lists enable a user to track form items to computerized data items listed in other volumes of the User's Guide and vice versa. The computer listings have the following information.

<u>Column Heading</u>	<u>Description</u>
DATA ITEM ID	A unique identifier for this data item. See Data Item Identification and Naming above for details.
ITEM ON FORM	An identifier used on the NCPP study form to identify the question or group of questions which was used to generate this data item.
CARD NUM	Identifies the master file card on which this data item is located. See Master File Card Number and NINDB Case Number Rationale above for a description of card number.
FROM	Beginning card column for this data item.
TO	Ending card column for this data item.
DATA ITEM NAME	Terse stylized name for this data item. See Data Item Identification and Naming above for details.

ASSOCIATED DOCUMENTS

By examining the tables provided for each, investigators will be able to determine which computer files contain data of interest. For data contained in the variable file, see Volume III of this guide; for data contained in work files, see Volume IV.

TABLE 3. Abbreviations for Person, Time and Subject Categories

<u>Person</u>	<u>Time</u>	<u>Subject</u>
Mother	General	Administrative
Father	Preconception	Anesthesia
Placenta	Registration	Clin. Impression
Fetus	Prenatal	Clinical Lab
Child	Admission	Current Pregnancy
M Surrogate	Intrapartum	Environ. Exposure
Family	Delivery	Events
Sibship	Post Partum	Hearing
	Neonatal	Hospitalizations
	Four month	Language
	Eight month	Linkage
	One year	Malformations
	Three year	Diag. & Cond.
	Four year	Med. History
	Seven year	Medications
	Eight year	Neurological Exam
		Observations
		Pathology
		Physical Exam
		Procedure
		Psych. Exam
		Reproductive Hist.
		Serology
		Socioecon. Info
		Speech
		Vision
		Work History
		X-ray
		Summary
		Gyn. History
		Special Studies
		Fam/Genetic Hist.
		SLH Exam

TABLE 4. Definition of Person, Time
and Subject Categories

<u>PERSON</u>	<u>DEFINITION</u>
Mother	Study registrant bearing the "study pregnancy"; biologic mother of the "study child"; gravida.
Father	Biologic father of the study child or study pregnancy; in the case of socioeconomic data, this category may indicate either the "father of baby" (not necessarily husband of the mother) or the "husband" (not necessarily related biologically to the study child).
Placenta	The organ of metabolic and gaseous interchange between the fetus and mother; also included in this category are gross and microscopic pathologic data from examination of the umbilical cord.
Fetus	Conceptus; the product of conception including the embryonic stage, i.e., from conception to the moment of birth.
Child	Product of the study pregnancy from the moment of birth onward; study child.
M Surrogate	Person or persons substituting for the mother of a study child, e.g., adoptive parents, foster parents or guardian.
Family	Person or persons biologically related to the mother or father of the study child.
Sibship	Child or children having one or both of the same biologic parents as the study child; siblings; half siblings; full siblings.

**TABLE 4. Definition of Person, Time
and Subject Categories (Cont.)**

<u>TIME</u>	<u>DEFINITION</u>
General	Data with no pertinent time period or data pertaining to more than one time period.
Preconception	Data pertaining to the period prior to conception of the study pregnancy.
Registration	Data collected at the time of study mother's registration in the study.
Prenatal	Data pertaining to the period from conception of the study pregnancy to delivery of the study child.
Admission	Data collected at the time of study mother's admission to the hospital for delivery of the study child.
Intrapartum	Data pertaining to the period from admission for delivery or onset of labor to delivery of the study child.
Delivery	Data pertaining to the time period during which delivery of the study child occurred.
Post Partum	Data (pertaining to the study mother) collected during the period immediately following birth of the study child.
Neonatal	Data pertaining to the study child during the period from birth to one month of age; the majority of these data were collected prior to or at the time a study child was discharged from the hospital.
Four Month	Data collected at the time of the four month examination of the study child.
Eight Month	Data collected at the time of the eight month examination of the study child.
One Year	Data collected at the time of the one year examination of the study child.
Three Year	Data collected at the time of the three year examination of the study child.
Four Year	Data collected at the time of the four year examination of the study child.
Seven Year	Data collected at the time of the seven year examination of the study child.
Eight Year	Data collected at the time of the eight year examination of the study child.

TABLE 4. Definition of Person, Time
and Subject Categories (Cont.)

<u>SUBJECT</u>	<u>DEFINITION</u>
Administrative	Data pertaining to the administrative aspects of the study.
Anesthesia	Data on medications and procedures used to obtain anesthesia.
Clin. Impression	Impression of abnormality or dysfunction gained by an examiner following evaluation of clinical signs and symptoms and including a subjective component.
Clinical Lab	Data obtained from laboratory examination of clinical specimens.
Current Pregnancy	Personal data and medically relevant information pertaining to the study pregnancy for which the mother is enrolled.
Environ. Exposure	Data on exposure to occupational or other environmental entities or hazards.
Events	Data related to a specific event, occurrence or incidence.
Hearing	Data obtained from examination and testing of hearing function.
Hospitalizations	Data on specific hospital admissions or the number of hospitalizations.
Language	Data obtained from examination and testing of language function.
Linkage	Data on the genetic relationships of family members to the study mother, father or child.
Malformations	Data on the conditions in which failure of normal development has resulted in abnormal physical traits existing at the time of birth.
Diag. & Cond.	Data on specific diagnoses or conditions obtained from past medical history or examination during the study.
Med. History	Data obtained from the study participant or medical records relevant to past or current medical diagnoses or conditions.
Medications	Data on drugs or medications used.
Neurological Exam	Data obtained from observation and physical examination of the central nervous system.
Observations	Data obtained from observations not categorized elsewhere.
Pathology	Data obtained from clinical and anatomical pathological examination.
Physical Exam	Data obtained from physical examination of the study participant.
Procedure	Data relating to specific procedures performed on the study participant prior to or during the period of enrollment in the study.
Psych. Exam	Data obtained from the psychological examinations and observations.

**TABLE 4. Definition of Person, Time
and Subject Categories. (Cont.)**

SUBJECT	DEFINITION
Reproductive Hist.	Data pertaining to the outcome of pregnancies prior to and or during the period of enrollment in the study.
Serology	Data obtained from the laboratory examination of serum by specific immunologic methods.
Socioecon. Info	Data related to the social and economic characteristics and environment of the study participant.
Speech	Data obtained from examination and observation of speech function.
Vision	Data obtained from examination of the eyes.
Work History	Data pertaining to occupation and employment prior to and during the period of enrollment in the study.
X-Ray	Data on diagnostic x rays and diagnostic or therapeutic radiological procedures.
Summary	Data presented as a summary of data collected and recorded elsewhere.
Gyn. History	Medical history specifically related to the female genital tract, reproductive physiology and endocrinology.
Special Studies	Data pertaining to participation in other special organized studies conducted during the period of enrollment in the study.
Fam/Genetic Hist.	Data on the medical histories of family members genetically related to the study child.
SLH Exam	Data obtained from the speech, language and hearing examinations not specifically or exclusively related to one of these areas.

PAGE II.C.xviii IS MISSING

CONTENTS

PATH-1	Placental Exam - Gross	II.C.1
PATH-2	Placental Exam - Microscopic	II.C.31
PATH-3	Autopsy Protocol	II.C.53

PATH-1 Placental Examination - Gross

Form PATH-1 was used to provide precise and detailed information about the gross appearance of the placenta and how it might relate to the outcome of the pregnancy for both mother and infant. The form was implemented in July 1959 and was not revised. Data from PATH-1 were keypunched onto cards 1201 and 2201 in the master file (Table PATH-1.1).

TABLE PATH-1.1 Cards and Data Records by Revision for Form PATH-1

CARD NAME	CARD NUMBER	REV. NO.	NUMBER RECORDS
PATH-1: Dimensions, Cord, Membrane and Fetal Surface	1201		
		2	47,290
		3	1,488
			48,778
PATH-1: Maternal Surface, Cut Surface	2201		
		2	47,177
		3	1,493
			48,670
	total for form		97,448

Data Items Referencing Form PATH-1, Placental Exam - Gross

DATA ITEM ID	ITEM CN FORM	CARD NUM	FROM	TO	DATA ITEM NAME
48.....		1201	1	5	Card number (sequence, form type, form number, revision number)
49.....		1201	6	14	NINDS case number
50.PATH-1	2	1201	15	16	Pathology; gross, examination by
51.PATH-1	3	1201	17	20	Pathology; gross, time
52.PATH-1	3	1201	21	22	Pathology; gross, date (mo)
53.PATH-1	3	1201	23	24	Pathology; gross, date (day)
54.PATH-1	3	1201	25	26	Pathology; gross, date (yr)
55.PATH-1	5	1201	27	27	Pathology; gross; designation of placenta, plurality
56.PATH-1	6	1201	28	28	Pathology; gross; placenta, labeled at delivery
57.PATH-1	7	1201	29	29	Pathology; gross; placenta, fused
58.PATH-1	8	1201	30	30	Pathology; gross; placenta, anastomosis present
59.PATH-1	9	1201	31	32	Pathology; gross; placenta, dimensions, largest diameter (cm)
60.PATH-1	9	1201	33	34	Pathology; gross; placenta, dimensions, smallest diameter (cm)
61.PATH-1	9	1201	35	36	Pathology; gross; placenta, dimensions, thickness (cm)
62.PATH-1	9	1201	37	37	Pathology; gross; placenta, shape
63.PATH-1	9	1201	38	38	Pathology; gross; placenta, description
64.PATH-1	12	1201	39	41	Pathology; gross; placenta, length (cm)
65.PATH-1	13	1201	42	43	Pathology; gross; placenta, shortest distance from cord, insertion to placental margin (cm)
66.PATH-1	13	1201	44	44	Pathology; gross; placenta, type of insertion
67.PATH-1	14	1201	45	45	Pathology; gross; placenta, number of vessels
68.PATH-1	15	1201	46	46	Pathology; gross; placenta, true knot
69.PATH-1	16	1201	47	47	Pathology; gross; placenta, color
70.PATH-1	17	1201	48	48	Pathology; gross; placenta, frozen sections taken
71.PATH-1	19	1201	49	49	Pathology; gross; membranes and fetal surface, description
72.PATH-1	19	1201	50	50	Pathology; gross; membranes and fetal surface, membranes complete
73.PATH-1	20	1201	51	51	Pathology; gross; membranes and fetal surface, decidual necrosis
74.PATH-1	21	1201	52	52	Pathology; gross; membranes and fetal surface, membranes edematous
75.PATH-1	22	1201	53	53	Pathology; gross; membranes and fetal surface, insertion of membranes
76.PATH-1	23	1201	54	55	Pathology; gross; membranes and fetal surface, shortest distance from edge of rupture to placental margin (cm)
77.PATH-1	24	1201	56	56	Pathology; gross; membranes and fetal surface, color of fetal surface
78.PATH-1	25	1201	57	57	Pathology; gross; membranes and fetal surface, opacity of membranes
79.PATH-1	26	1201	58	58	Pathology; gross; membranes and fetal surface, subchorionic fibrins
80.PATH-1	27	1201	59	59	Pathology; gross; membranes and fetal surface, description of subchorionic fibrin
81.PATH-1	28	1201	60	60	Pathology; gross; membranes and fetal surface, thrombosed fetal vessels
82.PATH-1	29	1201	61	61	Pathology; gross; membranes and fetal surface, amnion nodosum
83.PATH-1	30	1201	62	62	Pathology; gross; membranes and fetal surface, cysts

Data Items Referencing Form PATH-1, Placental Exam - Gross

DATA ITEM ID	ITEM CN	FJRM	CARD NUM	FROM	TO	DATA ITEM NAME
84.PATH-1	31		1201	63	66	Pathology; gross; membranes and fetal surface, weight (gms)
85.....			1201	67	72	Blank
86.PATH-1			1201	73	80	Pathology; gross; placenta identification number
87.....			2201	1	5	Card number (sequence, form type, form number, revision number)
88.....			2201	6	14	NINPR case number
89.PATH-1	33		2201	15	15	Pathology; gross; maternal surface, intact/lacerated
90.PATH-1	34		2201	16	16	Pathology; gross; maternal surface, completeness
91.PATH-1	35		2201	17	17	Pathology; gross; maternal surface, depressed area, total number
92.PATH-1	36		2201	18	19	Pathology; gross; maternal surface, depressed area, size, length (cm)
93.PATH-1	36		2201	20	21	Pathology; gross; maternal surface, depressed area, size, width (cm)
94.PATH-1	37		2201	22	22	Pathology; gross; maternal surface, depressed area, apparent cause
95.PATH-1	38		2201	23	23	Pathology; gross; maternal surface, hemorrhage, age
96.PATH-1	39		2201	24	25	Pathology; gross; maternal surface, hemorrhage, size, largest diameter (cm)
97.PATH-1	39		2201	26	27	Pathology; gross; maternal surface, hemorrhage, size, smallest diameter (cm)
98.PATH-1	39		2201	28	29	Pathology; gross; maternal surface, hemorrhage, size, thickness (cm)
99.PATH-1	40		2201	30	31	Pathology; gross; maternal surface, hemorrhage retroplacental shortest distance from peripheral edge hemorrhage to placental margin (cm)
100.PATH-1	40		2201	32	33	Pathology; gross; maternal surface, hemorrhage retroplacental shortest distance from peripheral edge hemorrhage to placental margin (cm)
101.PATH-1	43		2201	34	35	Pathology; gross; cut surface infarcts, total number
102.PATH-1	43		2201	36	36	Pathology; gross; cut surface, infarcts, pink/red, marginal
103.PATH-1	43		2201	37	37	Pathology; gross; cut surface, infarcts, pink/red, not marginal
104.PATH-1	44		2201	38	38	Pathology; gross; cut surface, infarcts, yellow/white, marginal
105.PATH-1	44		2201	39	39	Pathology; gross; cut surface, infarcts, yellow/white, not marginal
106.PATH-1	44		2201	40	40	Pathology; gross; cut surface, infarcts, pink/red, unknown location
107.PATH-1	44		2201	41	41	Pathology; gross; cut surface, infarcts, yellow/white, unknown location
108.PATH-1	44		2201	42	42	Pathology; gross; cut surface, infarcts, unknown color, marginal
109.PATH-1	44		2201	43	43	Pathology; gross; cut surface, infarcts, unknown color, not marginal
110.PATH-1	44		2201	44	44	Pathology; gross; cut surface, infarcts, unknown color, unknown location
111.PATH-1	45		2201	45	45	Pathology; gross; cut surface, infarcts, size (cm)
112.PATH-1	46		2201	46	46	Pathology; gross; cut surface, infarcts, maternal floor
113.PATH-1	47		2201	47	47	Pathology; gross; cut surface, color
114.PATH-1	48		2201	48	48	Pathology; gross; cut surface, consistency

Data Items Referencing Form PATH-1, Placental Exam - Gross

DATA ITEM ID	ITEM ON FORM	CARD NUM	FROM	TO	DATA ITEM NAME
115.PATH-1	48	2201	49	49	Pathology; gross; cut surface, calcification
116.PATH-1		2201	50	51	Pathology; gross; cut surface, intervillous thrombosis, total
117.PATH-1	50	2201	52	52	Pathology; gross; cut surface, intervillous thrombosis, total number laminated
118.PATH-1	51	2201	53	53	Pathology; gross; cut surface, intervillous thrombosis, number laminated in marginal sinus
119.PATH-1	52	2201	54	54	Pathology; gross; cut surface, intervillous thrombosis, total number not laminated
120.PATH-1	53	2201	55	55	Pathology; gross; cut surface, intervillous thrombosis, number not laminated in marginal sinus
121.PATH-1	54	2201	56	56	Pathology; gross; cut surface, tumor
122.PATH-1	55	2201	57	57	Pathology; gross; cut surface, hydatid change
123.PATH-1	56	2201	58	58	Pathology; gross; cut surface, true cysts
124.PATH-1	58	2201	59	59	Pathology; gross, exam was done with knowledge of case
125.PATH-1	59	2201	60	61	Pathology; gross, special studies
126.PATH-1	60	2201	62	62	Pathology; gross, other abnormalities
127.PATH-1	5	2201	63	63	Pathology; gross; designation of placenta, plurality
128.....		2201	64	72	Blank
129.PATH-1		2201	73	80	Pathology; gross, placenta identification number
5360.....VAR	24		518	518	Pathology; gross; membranes and fetal surface, color of fetal surface
5361.....VAR	20		519	519	Pathology; gross; membranes and fetal surface, decidua necrosis
5362.....VAR	20		520	520	Pathology; gross; membranes and fetal surface, decidua necrosis (yes, no, unknown)
5363.....VAR	22		521	521	Pathology; gross; membranes and fetal surface, insertion of membranes
5364.....VAR	31		522	525	Pathology; gross; membranes and fetal surface, weight; placenta (gms)
5365.....VAR	31		526	527	Pathology; gross; membranes and fetal surface, weight, catagorized
5366.....VAR	13		528	528	Pathology; gross; cord, type of insertion, membranous, degree
5367.....VAR	13		529	529	Pathology; gross; cord, type of insertion, membranous / nonmembranous
5368.....VAR	14		530	530	Pathology; cord, arteries, number
5369.....VAR	45		531	531	Pathology; gross; cut surface, infarcts, size

PLACENTAL EXAMINATION - GROSS

1. PATIENT'S IDENTIFICATION

INSTRUCTIONS: (1) For use when crown-rump length of fetus is 14.5 cm. or more (gestational age 20 weeks). (2) Placentas must be fresh when examined. (3) An entry is required for every item except those for twins only. (4) Describe all abnormalities in the space or bottom of second sheet. (5) Prepare at least 3 sections as specified in manual - cord, membrane roll, and placenta.

2. GROSS EXAMINATION BY		3. TIME	DATE Mo. Day Year AM PM	
4. MULTIPLE BIRTHS (P) (Paragraph all placentas of multiple births - 35 mm. color)				
5. DESIGNATION OF PLACENTA DESCRIBED ON THIS FORM			6. LABELED AT DELY.	
<input type="checkbox"/> Twin A <input type="checkbox"/> Twin B <input type="checkbox"/> Other Multiple Birth (Describe)			<input type="checkbox"/> No <input type="checkbox"/> Yes	
7. PLACENTAS FUSED				
<input type="checkbox"/> No <input type="checkbox"/> Yes (Fill out one form for each fetus)				
8. IF FUSED PLACENTAS, IS ANASTOMOSIS PRESENT?				
<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Undetermined (Vessels must be injected as described in manual). Describe anastomoses below, indicating whether artery to artery, vein to vein, or artery to vein. Note size of vessels, etc.				
9. DIMENSIONS			10. SHAPE	
(Largest Diam.) X (Smallest Diam.) X (Thickness) cms			<input type="checkbox"/> Round or Oval <input type="checkbox"/> Other (Describe)	
11. CORD				
12. LENGTH OF CORD (Portion attached to placenta plus any loose pieces) _____ cms		13. SHORTEST DISTANCE FROM CORD INSERTION TO PLACENTAL MARGIN _____ cms <input type="checkbox"/> Insertion not membranous <input type="checkbox"/> Insertion membranous		
14. NUMBER OF VESSELS (Fetal end) <input type="checkbox"/> 2 <input type="checkbox"/> 3		15. TRUE KNOT IN CORD <input type="checkbox"/> No <input type="checkbox"/> Yes (If "yes" take sections as specified in manual)		16. COLOR OF CORD <input type="checkbox"/> Normal <input type="checkbox"/> Other (Describe)
17. FROZEN SECTION TAKEN <input type="checkbox"/> No <input type="checkbox"/> Yes				
18. MEMBRANES AND FETAL SURFACE				
19. MEMBRANES COMPLETE <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Unable to determine		20. DECIDUAL NECROSIS <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Not massive) <input type="checkbox"/> Massive		21. MEMBRANES EDEMATOUS <input type="checkbox"/> No <input type="checkbox"/> Yes
22. INSERTION OF MEMBRANES (check two if partial) <input type="checkbox"/> Marginal <input type="checkbox"/> Circummarginate <input type="checkbox"/> Circumvallate			23. SHORTEST DISTANCE FROM EDGE OF RUPTURE TO PLACENTAL MARGIN _____ cms <input type="checkbox"/> Unknown	
24. COLOR OF FETAL SURFACE <input type="checkbox"/> Blue-grey <input type="checkbox"/> Green <input type="checkbox"/> Brownish-yellow <input type="checkbox"/> Other (Specify)			25. OPACITY OF MEMBRANES <input type="checkbox"/> Not Opaque <input type="checkbox"/> Opaque	
26. SUBCHORIONIC FIBRIN <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Not massive) <input type="checkbox"/> Massive		27. <input type="checkbox"/> Petchy <input type="checkbox"/> Diffuse		28. THROMBOSIS OF FETAL VESSELS <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Describe: Vein, artery, etc.)
29. AMNION NODOSUM <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Describe)		30. CYSTS <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Describe)		31. WEIGHT (Trim cord and membranes) _____ Gms
32. MATERNAL SURFACE				
33. SURFACE <input type="checkbox"/> Intact <input type="checkbox"/> Lacerated			34. <input type="checkbox"/> Complete <input type="checkbox"/> Incomplete <input type="checkbox"/> Undetermined	
35. DEPRESSED AREA <input type="checkbox"/> None <input type="checkbox"/> Present		36. IF PRESENT Size _____ X _____ cms		37. APPARENTLY CAUSED BY <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Atrophy or infarct <input type="checkbox"/> Other (Describe) <input type="checkbox"/> Unknown
38. HEMORRHAGE <input type="checkbox"/> None <input type="checkbox"/> Recent <input type="checkbox"/> Old <input type="checkbox"/> None <input type="checkbox"/> (Elastic) <input type="checkbox"/> (Firm)		39. SIZE (Largest diam.) X (Small) X (Thickness) cms		40. SHORTEST DISTANCE FROM PERIPHERAL EDGE OF HEMORRHAGE TO PLACENTAL MARGIN _____ cms <input type="checkbox"/> Location retroplacental <input type="checkbox"/> Location retromembranous
41. CUT SURFACE				
42. INFARCTS: (If none write 0 in all blanks) 43. Pink-Red Infarcts No. Marginal _____ No. Not Marginal _____			44. Yellow-White Infarcts No. Marginal _____ No. Not Marginal _____	
45. SIZE OF INFARCTS <input type="checkbox"/> Not Applicable <input type="checkbox"/> All less than 3 cms. <input type="checkbox"/> At least one more than 3 cms (infarcts more than 3 cms. in largest diam. must be described below)			46. MATERNAL FLOOR INFARCTS (as specified in manual) <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Describe)	
47. COLOR <input type="checkbox"/> Normal <input type="checkbox"/> Unusually light (pale)		48. CONSISTENCY <input type="checkbox"/> Firm <input type="checkbox"/> Spony <input type="checkbox"/> Calcification maternal surface only <input type="checkbox"/> Calcification throughout		
49. INTERVILLOUS THROMBOSIS: (If none, write 0 in all blanks)				
50. Total number laminated _____		51. No. laminated in marginal sinus _____		52. Total no. not laminated _____
53. No. not laminated in marginal sinus _____		54. TUMOR <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Describe)		
55. HYDATID CHANGE <input type="checkbox"/> Not seen <input type="checkbox"/> Present (Describe)		56. TRUE CYSTS (in substance) (if none, write 0) Number present _____		

PLACENTAL EXAMINATION-GROSS
(Continued)

58. GROSS EXAMINATION WAS DONE WITH KNOWLEDGE THAT:

- Clinical course or outcome for
1 mother or baby was normal Clinical course or outcome for
2 mother or baby was abnormal With no knowledge of the case
3

59. SPECIAL STUDIES:

- 1 Photography 2 Virology 3 Histochemistry
(Special stain) 4 Other (describe)

60. PRESENCE OF OTHER ABNORMALITIES

- 0 No abnormalities other than those specified above 1 Abnormalities other than those specified above

61. DESCRIPTION OF ABNORMALITIES CHECKED AND OTHER PERTINENT FINDINGS. IDENTIFY EACH COMMENT BY THE CORRESPONDING NUMBER.

Form Item Numbers linked to Data Items on PATH-1, Placental Exam - Gross

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
	129.PATH-1	2201	73	80	Pathology; gross; placenta identification number
	116.PATH-1	2201	50	51	Pathology; gross; cut surface, intervillous thrombosis, total number
	71.PATH-1	1201	49	49	Pathology; gross; membranes and fetal surface, description
	86.PATH-1	1201	73	80	Pathology; gross; placenta identification number
	63.PATH-1	1201	38	38	Pathology; gross; placenta, description
2	50.PATH-1	1201	15	16	Pathology; gross; examination by
3	53.PATH-1	1201	23	24	Pathology; gross, date (day)
3	52.PATH-1	1201	21	22	Pathology; gross, date (mo)
3	54.PATH-1	1201	25	26	Pathology; gross, date (yr)
3	51.PATH-1	1201	17	20	Pathology; gross, time
5	127.PATH-1	2201	63	63	Pathology; gross; designation of placenta, plurality
5	55.PATH-1	1201	27	27	Pathology; gross; designation of placenta, plurality
6	56.PATH-1	1201	28	28	Pathology; gross; placenta, labeled at delivery
7	57.PATH-1	1201	29	29	Pathology; gross; placenta, fused
8	58.PATH-1	1201	30	30	Pathology; gross; placenta, anastomosis present
9	59.PATH-1	1201	31	32	Pathology; gross; placenta, dimensions, largest diameter (cm)
9	60.PATH-1	1201	33	34	Pathology; gross; placenta, dimensions, smallest diameter (cm)
9	61.PATH-1	1201	35	36	Pathology; gross; placenta, dimensions, thickness (cm)
9	62.PATH-1	1201	37	37	Pathology; gross; placenta, shape
12	64.PATH-1	1201	39	41	Pathology; gross; placenta, length (cm)
13	5367...VAR		529	579	Pathology; gross; cord, type of insertion, membranous / nonmembranous
13	5366...VAR		528	528	Pathology; gross; cord, type of insertion, membranous, degree
13	65.PATH-1	1201	42	43	Pathology; gross; placenta, shortest distance from cord, insertion to placental margin (cm)
13	66.PATH-1	1201	44	44	Pathology; gross; placenta, type of insertion
14	5368...VAR		530	530	Pathology; gross; cord, arteries, number
14	67.PATH-1	1201	45	45	Pathology; gross; placenta, number of vessels
15	68.PATH-1	1201	46	46	Pathology; gross; placenta, true knot
16	69.PATH-1	1201	47	47	Pathology; gross; placenta, color
17	70.PATH-1	1201	48	48	Pathology; gross; placenta, frozen sections taken
19	72.PATH-1	1201	50	50	Pathology; gross; membranes and fetal surface, membranes complete
20	73.PATH-1	1201	51	51	Pathology; gross; membranes and fetal surface, decidual necrosis
20	5361...VAR		519	519	Pathology; gross; membranes and fetal surface, decidual necrosis
20	5362...VAR		520	520	Pathology; gross; membranes and fetal surface, decidual necrosis (yes, no, unknown)
21	74.PATH-1	1201	52	52	Pathology; gross; membranes and fetal surface, membranes edematous
22	75.PATH-1	1201	53	53	Pathology; gross; membranes and fetal surface, insertion of membranes
22	5363...VAR		521	521	Pathology; gross; membranes and fetal surface, insertion of membranes

Form Item Numbers Linked to Data Items on PATH-1, Placental Exam - Gross

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
23	76.PATH-1	1201	54	55	Pathology; gross; membranes and fetal surface, shortest distance from edge of rupture to placental margin (cm)
24	77.PATH-1	1201	56	56	Pathology; gross; membranes and fetal surface, color of fetal surface
24	5360.....VAR		518	518	Pathology; gross; membranes and fetal surface, color of fetal surface
25	78.PATH-1	1201	57	57	Pathology; gross; membranes and fetal surface, opacity of membranes
26	79.PATH-1	1201	58	58	Pathology; gross; membranes and fetal surface, subchorionic fibrins
27	80.PATH-1	1201	59	59	Pathology; gross; membranes and fetal surface, description of subchorionic fibrin
28	81.PATH-1	1201	60	60	Pathology; gross; membranes and fetal surface, thrombosed fetal vessels
29	82.PATH-1	1201	61	61	Pathology; gross; membranes and fetal surface, amnion nodosum
30	83.PATH-1	1201	62	62	Pathology; gross; membranes and fetal surface, cysts
31	84.PATH-1	1201	63	66	Pathology; gross; membranes and fetal surface, weight (gms)
31	5365.....VAR		526	527	Pathology; gross; membranes and fetal surface, weight, catagorized
31	5364.....VAR		522	525	Pathology; gross; membranes and fetal surface, weight; placenta (gms)
33	89.PATH-1	2201	15	15	Pathology; gross; maternal surface, intact/lacerated
34	90.PATH-1	2201	16	16	Pathology; gross; maternal surface, completeness
35	91.PATH-1	2201	17	17	Pathology; gross; maternal surface, depressed area, total number
36	92.PATH-1	2201	18	19	Pathology; gross; maternal surface, depressed area, size, length (cm)
36	93.PATH-1	2201	20	21	Pathology; gross; maternal surface, depressed area, size, width (cm)
37	94.PATH-1	2201	22	22	Pathology; gross; maternal surface, depressed area, apparent cause
38	95.PATH-1	2201	23	23	Pathology; gross; maternal surface, hemorrhage, age
39	96.PATH-1	2201	24	25	Pathology; gross; maternal surface, hemorrhage, size, largest diameter (cm)
39	97.PATH-1	2201	26	27	Pathology; gross; maternal surface, hemorrhage, size, smallest diameter (cm)
39	98.PATH-1	2201	28	29	Pathology; gross; maternal surface, hemorrhage, size, thickness (cm)
40	100.PATH-1	2201	32	33	Pathology; gross; maternal surface, hemorrhage retroembranes shortest distance from peripheral edge hemorrhage to placental margin (cm)
40	99.PATH-1	2201	30	31	Pathology; gross; maternal surface, hemorrhage retroplacental shortest distance from peripheral edge hemorrhage to placental margin (cm)
43	101.PATH-1	2201	34	35	Pathology; gross; cut surface infarcts, total number
43	102.PATH-1	2201	36	36	Pathology; gross; cut surface, infarcts, pink/red, marginal
43	103.PATH-1	2201	37	37	Pathology; gross; cut surface, infarcts, pink/red, not marginal
44	106.PATH-1	2201	40	40	Pathology; gross; cut surface, infarcts, pink/red, unknown location

Form Item Numbers linked to Data Items on PATH-1, Placental Exam - Gross

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM TO	DATA ITEM NAME
44	108.PATH-1	2201	42	42 Pathology; gross; cut surface, infarcts, unknown color, marginal
44	109.PATH-1	2201	43	43 Pathology; gross; cut surface, infarcts, unknown color, not marginal
44	110.PATH-1	2201	44	44 Pathology; gross; cut surface, infarcts, unknown color, unknown location
44	104.PATH-1	2201	38	38 Pathology; gross; cut surface, infarcts, yellow/white, marginal
44	105.PATH-1	2201	39	39 Pathology; gross; cut surface, infarcts, yellow/white, not marginal
44	107.PATH-1	2201	41	41 Pathology; gross; cut surface, infarcts, yellow/white, unknown location
45	5369....VAR		531	531 Pathology; gross; cut surface, infarcts, size
45	111.PATH-1	2201	45	45 Pathology; gross; cut surface, infarcts, size (cm)
46	112.PATH-1	2201	46	46 Pathology; gross; cut surface, infarcts, maternal floor
47	113.PATH-1	2201	47	47 Pathology; gross; cut surface, color
48	115.PATH-1	2201	49	49 Pathology; gross; cut surface, calcification
48	114.PATH-1	2201	48	48 Pathology; gross; cut surface, consistency
50	117.PATH-1	2201	52	52 Pathology; gross; cut surface, intervillous thrombosis, total number laminated
51	118.PATH-1	2201	53	53 Pathology; gross; cut surface, intervillous thrombosis, number laminated in marginal sinus
52	119.PATH-1	2201	54	54 Pathology; gross; cut surface, intervillous thrombosis, total number not laminated
53	120.PATH-1	2201	55	55 Pathology; gross; cut surface, intervillous thrombosis, number not laminated in marginal sinus
54	121.PATH-1	2201	56	56 Pathology; gross; cut surface, tumor
55	122.PATH-1	2201	57	57 Pathology; gross; cut surface, hydatid change
56	123.PATH-1	2201	58	58 Pathology; gross; cut surface, true cysts
58	124.PATH-1	2201	59	59 Pathology; gross; exam was done with knowledge of case
59	125.PATH-1	2201	60	61 Pathology; gross, special studies
60	126.PATH-1	2201	62	62 Pathology; gross, other abnormalities

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 12012
 Card 12013
 CARD
COLUMN

<u>FIELD</u>		
10.	<u>Placenta Fused</u> Item 7 Code: Same as in Field 9	29
11.	<u>Anastomosis Present</u> Item 8 Code: Same as in Field 9	30
12.	<u>Dimensions</u> Item 9 Six-digit code for: <u>Largest Diameter</u> (cols. 31-32) <u>Smallest Diameter</u> (cols. 33-34) Code for each two columns: 01-50 - As given in cms. 97 - Multi-lobed 98 - More than one set of dimensions 99 - Unknown <u>Thickness</u> (cols. 35-36) Code: 01-95 - As given in tenths of cms. 96 - 9.6 cms. or more 97 - Multi-lobed 98 - More than one set of dimensions 99 - Unknown	31-36
13.	<u>Shape</u> Item 10 Code: 1 - Non-partite 2 - Bipartite 3 - Tripartite 4 - Succenturiate 5 - Membranous placenta 6 - Crescent shaped 8 - Irregular shape 9 - Unknown	37
CORD		
14.	<u>Description</u> Code: 0 - No description 1 - Edema 2 - Maceration 3 - Several pieces of cord sent 4 - Narrow 5 - Flat 6 - Soft 9 - Unknown	38

DEFINITION OF CODES (continued)

FORM PATH 1
Card 12012
Card 12013
CARD
COLUMN

<u>FIELD</u>		
15.	<u>Length</u> Item 12 Code: 001-200 - As given in cms. 999 - Unknown	39-41
16.	<u>Shortest Distance from Cord Insertion to Placental Margin</u> Item 13 Code: 00 - At margin 01-20 - As given in cms. 99 - Unknown	42-43
17.	<u>Type of Insertion</u> Item 13 Code: 0 - Marginal 1 - Not membranous 2 - Membranous 9 - Unknown	44
18.	<u>Number of Vessels</u> Item 14 Code: 2 - Two 3 - Three 8 - Other 9 - Unknown	45
19.	<u>True Knot</u> Item 15 Code: 0 - No 1 - Yes 9 - Unknown	46
20.	<u>Color</u> Item 16 Code: 0 - Normal 1 - Green 2 - Yellow 3 - Purple 8 - Other 9 - Unknown	47
21.	<u>Frozen Section Taken</u> Item 17 Code: Same as in Field 19	48

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 12012
 Card 12013
 CARD
COLUMN

FIELD

MEMBRANES AND FETAL SURFACE

22.	<p><u>Description</u> Code: 0 - No description 1 - Squamous metaplasia 2 - Amnion not available 3 - Velamentous vessels 8 - Other 9 - Unknown</p>	49
23.	<p><u>Membranes Complete</u> Item 19 Code: Same as in Field 19</p>	50
24.	<p><u>Decidual Necrosis</u> Item 20 Code: 0 - Not seen grossly 1 - Present, not massive 2 - Present, massive 8 - Other 9 - Unknown</p>	51
25.	<p><u>Membranes Edematous</u> Item 21 Code: 0 - No 1 - Yes 2 - Possibly 9 - Unknown</p>	52
26.	<p><u>Insertion of Membranes</u> Item 22 Code: 1 - Marginal 2 - Circummarginate 3 - Combination of codes 1 and 2 4 - Circumvallate 5 - Combination of codes 1 and 4 6 - Combination of codes 2 and 4 7 - Combination of codes 1, 2 and 4 9 - Unknown</p>	53
27.	<p><u>Shortest Distance From Edge of Rupture to Placental Margin</u> Item 23 Code: 00 - At margin 01-30 - As given in cms. 97 - Membranes not ruptured 99 - Unknown</p>	54-55

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 12012
 Card 12013
 CARD
COLUMN

<u>FIELD</u>		
28.	<u>Color of Fetal Surface</u> Item 24 Code: 1 - Blue-gray 2 - Green 3 - Combination of codes 1 and 2 4 - Brownish-yellow 5 - Combination of codes 1 and 4 6 - Combination of codes 2 and 4 7 - Combination of codes 1, 2 and 4 8 - Other 9 - Unknown	56
29.	<u>Opacity of Membranes</u> Item 25 Code: 0 - Not opaque 1 - Opaque 2 - Partially opaque 9 - Unknown	57
30.	<u>Sub-Chorionic Fibrin</u> Item 26 Code: 0 - Not seen 1 - Present, not massive 2 - Present, massive 9 - Unknown	58
31.	<u>Description of Sub-Chorionic Fibrin</u> Item 27 Code: 0 - No sub-chorionic fibrin 1 - Patchy 2 - Diffuse 3 - Combination of codes 1 and 2 9 - Unknown	59
32.	<u>Thrombosed Fetal Vessels</u> Item 28 Code: 0 - Not seen 1 - Present 9 - Unknown	60
33.	<u>Amnion Nodosum</u> Item 29 Code: Same as in Field 32	61

DEFINITION OF CODES (continued)

FIELD

FORM PATH 1
 Card 12012
 Card 12013
 CARD
COLUMN

34.	<u>Cysts</u> Item 30 Code: 0 - Not seen 1-7 - As given 8 - 8 or more, numerous 9 - Unknown	62
35.	<u>Weight</u> Item 31 Code: 0001-2000 - As given in gms. 9999 - Unknown	63-66
36.	Blank	67-72
37.	<u>Placenta Number</u> Code: Institution identification* as given 8 Blanks - None reported	73-80

* Any combination of alpha and numeric codes with blanks permitted in cols. 76-80.

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 22012
 Card 22013
 CARD
 COLUMN

FIELD

- | | | |
|----|--|------|
| 1. | <u>Card Number</u>
Code: 2 | 1 |
| 2. | <u>Basic Data</u>
Code: Same as in cols. 2-14 of card 1 | 2-14 |

MATERNAL SURFACE

- | | | |
|----|--|-------|
| 3. | <u>Surface</u>
Item 33
Code: 1 - Intact
2 - Lacerated
9 - Unknown | 15 |
| 4. | <u>Completeness</u>
Item 24
Code: 1 - Complete
2 - Incomplete
9 - Unknown | 16 |
| 5. | <u>Depressed Area</u>
Items 35-37
Six-digit code for:
<u>Total Number</u> (col. 17)
Code: 0 - None
1 - One
2 - Two or more
3 - Present, number unknown (Rev. "3" only)
9 - Unknown
<u>Size: Length</u> (cols. 18-19)
<u>Size: Width</u> (cols. 20-21)
Code for each two columns:
00 - Not applicable
01-98 - As given
99 - Unknown
<u>Apparent Cause</u> (col. 22)
Code: 0 - Not applicable
1 - Hemorrhage
2 - Atrophy or Infarct
3 - Combination of codes 1 and 2
4 - Other (Rev. 3 only)
5 - Combination of codes 1 and 4
6 - Combination of codes 2 and 4
7 - Combination of codes 1, 2 and 4
9 - Unknown | 17-22 |

NOTE: 0's in entire field = no depressed area

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 22012
 Card 22013
 CARD
 COLUMN

FIELD

6.

Hemorrhage

Items 38-40

Eleven-digit code for:

Age (col. 23)

- Code: 0 - None
 1 - Recent, elastic
 2 - Old, firm
 3 - Combination of codes 1 and 2
 8 - Hemorrhage present but age unspecified
 9 - Unknown

Size: Largest Diameter (cols. 24-25)

Size: Smallest Diameter (cols. 26-27)

Size: Thickness (cols. 28-29)

Code for each two columns:

- 00 - Not applicable
 01-98 - As given
 99 - Unknown

Shortest Distance from Peripheral Edge of Hemorrhage

to Placental Margin: Retroplacental (cols. 30-31)

Retromembranous (cols. 32-33)

Code for each two columns:

- 00 - Not applicable
 01-20 - As given in cms.
 77 - Less than 0.5 cms.
 98 - Hemorrhage present but distance unknown
 99 - Unknown

NOTE: 0's in entire field = no hemorrhage present

CUT SURFACE

7.

Infarcts

Items 43-45

Twelve-digit code for:

Total Number (cols. 34-35)

- Code: 00 - None
 01-96 - As given
 97 - 97 or more
 98 - Too numerous to count
 99 - Unknown

Pink-Red: Marginal (col. 36)

Pink-Red: Not Marginal (col. 37)

34-45

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 22012
 Card 22013
 CARD -
 COLUMN

FIELD

7. Infarcts (continued) 34-45
 Yellowish-White: Marginal (col. 38)
 Yellowish-White: Not Marginal (col. 39)
 Code for each column:
 0 - None
 1-7 - As given
 8 - 8 or more, too numerous to count
 9 - Unknown
 Pink-Red: Unknown location (col. 40)
 Yellow-White: Unknown location (col. 41)
 Unknown Color: Marginal (col. 42)
 Unknown Color: Not Marginal (col. 43)
 Unknown Color: Unknown location (col. 44)
 Code for each column:
 0 - None
 1-7 - As given
 8 - 8 or more
 9 - Unknown
 Size (col. 45)
 0 - Not applicable
 1 - All infarcts less than 3 cms.
 2 - At least one infarct measures
 3 or more cms.
 9 - Unknown
8. Maternal Floor Infarcts 46
 Item 46
 Code: 0 - Not seen
 1 - Present
 9 - Unknown
9. Color 47
 Item 47
 Code: 0 - Normal
 1 - Unusually light
 2 - Unusually dark
 3 - Combination of codes 1 and 2
 8 - Other
 9 - Unknown
10. Consistency 48
 Item 48
 Code: 1 - Firm
 2 - Spongy
 3 - Combination of codes 1 and 2
 4 - Soft
 9 - Unknown

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 22012
 Card 22013
 CARD
 COLUMN

FIELD

- | | | |
|-----|---|-------|
| 11. | <p><u>Calcification</u>
 Item 48
 Code: 0 - None
 1 - Maternal surface only
 2 - Throughout
 9 - Unknown</p> | 49 |
| 12. | <p><u>Intervillous Thrombosis</u>
 Items 50-53
 Six-digit code for:
 <u>Total</u> (cols. 50-51)
 Code: 00 - None
 01-96 - As given
 97 - 97 or more
 98 - Too numerous to count
 99 - Unknown

 <u>Total Number Laminated</u> (col. 52)
 <u>Number Laminated in Marginal Sinus</u> (col. 53)
 <u>Total Number Not Laminated</u> (col. 54)
 <u>Number Not Laminated in Marginal Sinus</u> (col. 55)
 Code for each column:
 0 - None
 1-7 - As given
 8 - 8 or more, too numerous to count
 9 - Unknown</p> | 50-55 |
| 13. | <p><u>Tumor</u>
 Item 54
 Code: Same as in Field 8</p> | 56 |
| 14. | <p><u>Hydatid Change</u>
 Item 55
 Code: Same as in Field 8</p> | 57 |
| 15. | <p><u>True Cysts</u>
 Item 56
 Code: Same as in Field 12, col. 52</p> | 58 |
| 16. | <p><u>Gross Examination Done With Knowledge That</u>
 Item 58
 Code: 1 - Clinical outcome normal
 2 - Clinical outcome abnormal
 3 - No knowledge of case
 9 - Unknown</p> | 59 |

DEFINITION OF CODES (continued)

FORM PATH 1
 Card 22012
 Card 22013
 CARD
COLUMN

FIELD

17.	<p><u>Special Studies</u> Item 59 Two-digit code for: <u>Photography, Virology or Histochemistry</u> (col. 60) Code: 0 - None 1 - Photography only 2 - Virology only 3 - Combination of codes 1 and 2 4 - Histochemistry 5 - Combination of codes 1 and 4 6 - Combination of codes 2 and 4 7 - Combination of codes 1, 2 and 4 9 - Unknown <u>Other</u> (col. 61) Code: 0 - None 1 - Bacterial culture 2 - Other than bacterial culture 3 - Combination of codes 1 and 2 9 - Unknown</p>	60-61
18.	<p><u>Other Abnormalities</u> Item 60 Code: 0 - No 1 - Yes 9 - Unknown</p>	62
19.	<p><u>Designation of Placenta</u> Item 5 Code: 0 - Single Birth 1 - First of Multiple 2 - Second of Multiple 3 - Third of Multiple 4 - Fourth of Multiple</p>	63
20.	<p>Blank</p>	64-72
21.	<p><u>Placenta Number</u> Code: Institution identification* as given 8 Blanks - None reported</p>	73-80

* Any combination of alpha and numeric codes with blanks permitted in cols. 76-80.

PLACENTAL EXAMINATION - GROSS

EXAMINERS

05 - Boston

01 Benirschke
02 Driscoll
03 J.K.
04 Potter
05 Craig
06 Szulman
07 Bradford
08 Leoindas
09 Cury or Kury
10 Favara
11 Aires
12 Alvarado
13 McCoombs
14 Mechanic
15 Gibson
16 Santos
17 Amicic
18 Paci
19 Raslavicus
20 Deligiosi
21 Saber
22 Whyte
23 Laga
24 Malouf
25 Hedley
99 Unknown

10 - Buffalo

01 O'Sullivan
02 Aquino
03 Froehlich
04 Legnami
05 Lehoczky
06 Managle
07 Aterman
08 Harrod
09 Abaci
10 Darwish
99 Unknown

15 - Charity

01 Johnson
02 Burch
03 Gilmer
04 Foley
05 Rosal
06 Elliott
07 Madawar
08 Beck
09 Melton
10 Meek
99 Unknown

31 - Columbia

01 Blanc
02 Kaufman
03 Goetz
04 Navarro
05 Richard
99 Unknown

37 - Johns Hopkins

01 Gruenwald
02 Brown
03 Lane
04 Kramer
05 Hannibal
06 Nicastri
07 Linthicum
08 Beitnott
09 Bloodwell
10 McCall
11 Lee
12 Clowry
13 Pusch
14 Esterly
15 Hutchins
16 Ebert
17 Haghghi
18 Patterson
19 Haller
20 Benson
21 Porro
22 Berman

PLACENTAL EXAMINATION - GROSS

EXAMINERS (cont.)

37 - Johns Hopkins (cont.)

23 Frederick
24 Barnby
25 Simonsen
26 Rieumont
27 Bransford
28 WL
29 MacLeod
30 Cornell
31 Caplan
32 Jacobs
33 Wasserman
34 O'Quinn
35 Hingson
36 Lewis
37 Henjyoji
38 Zerins
39 Taylor
40 Brazendale
41 Rogers
42 Goldman
43 Russo
44 Wasnich
45 Wheeler
46 Mancini
47 Pelham
48 Laubscher
49 Singer
50 Curtin
51 Gray
52 Wilson
53 Vitsky
54 Leiby
55 Siegal
56 WDZ
57 Ziererink
58 Tolo
59 Brammer
60 Abraham
61 Houghtlaling
62 Johnson
63 Hall
64 Addman
65 Davis
66 Shelley
67 Elliott
68 Baens
69 Woodward
99 Unknown

45 - Virginia

01 Belter
02 Richart
03 Martin
04 Calle
05 Bates
06 Davis
07 Nakoneczna
08 Ishizaki
09 Friedrich
99 Unknown

50 - Minnesota

01 Burke
02 Swallen
03 Woolfrey
04 Goodlin
99 Unknown

55 - New York Medical

01 diBlasi
02 Cempo
03 Kim
04 Sedlis
05 Sonnenblick
06 Mahairas
07 Stone
08 Gugliucci
09 Murphy
10 Asimakopulos
11 Saphier
12 Derry
13 Kapusta
14 Smith
15 Fabricant
16 Brenner
17 Caturani
18 Seigal
19 Vansom
20 Olivo
21 Yatvin
22 Schwartz
23 Wasserwald
24 Aneckstein
25 Ortiz
26 Dacosta

PLACENTAL EXAMINATION - GROSS

EXAMINERS (cont.)

55 - New York Medical (cont.)

27 Kandemir
28 Breyan
29 Clemendor
30 Pineda
31 Calnoy
32 Lim
33 McCartin
34 Vasquez
35 Palmer
36 Lefkowitz
99 Unknown

60 - Oregon

01 Fujikura
02 Emig
03 Berroth
04 Philp
05 Gourley
06 Wellings
07 Ppropst
08 Evans
09 Unknown
09 Waterman
10 Napier

66 - Pennsylvania

01 Ziel
02 Scarano
03 Sharpe
04 Lerner
05 Baker
06 Chatten
07 Knauer
08 Gonzalez
09 Muniz
10 Schiller
11 Hausman
12 Weidmann
13 Schultze
14 Frederick
15 Pendleton
16 Lane
17 Beatty
18 Seidel
19 Vakil
20 Amurao

66 - Pennsylvania (cont.)

21 Prompiti
22 Francis
23 Baroff
24 Lipkin
25 Sumerson
26 Stanitski
27 Longo
28 Crane
29 Decker
30 Olen
31 SZ
32 E.D.E.
99 Unknown

71 - Providence

01 Song
02 Anderson
03 Grace
04 Freeman
05 Mald
06 Robinson
07 Fethiere
99 Unknown

82 - Tennessee

01 Johnson
02 Greer
03 Pitzer
04 Brown
05 Crocher
06 Bowers
07 Fuste
08 C.A.C.
09 T.A.B.
10 A.B.
11 Manzano
12 Blumenfeld
13 Smith
14 Ainsworth
15 Wise
16 Threlkeld
17 RHA
18 Bushow (see 24)
19 Sainz

PLACENTAL EXAMINATION - GROSS
FORM PATH-1

1	2	3	DATE		DIMENSIONS		CORD		MEMBRANES AND FETAL SURFACE					PLACENTA #		
4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88
89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122
123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139
140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156
157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173
174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190
191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207
208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224
225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241
242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258
259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275
276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292
293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309
310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326
327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343
344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360
361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377
378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394
395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411
412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428
429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445
446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462
463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479
480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496
497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513
514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530
531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547
548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564
565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581
582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598
599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615
616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632
633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649
650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666
667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683
684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700
701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717
718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734
735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751
752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768
769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785
786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802
803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819
820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853
854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870
871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887
888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904
905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921
922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938
939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955
956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972
973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989
990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006

PLACENTAL EXAMINATION-GROSS
(For Form PATH-1, Dated 7-59)

PURPOSE. The purpose of this examination is to provide precise and detailed information about the gross appearance of the placenta and how it may relate to the outcome of the pregnancy for both mother and infant. Report the information on PATH-1, Placental Examination - Gross.

ORDER OF EXAMINATION. For the sake of convenience and thoroughness, the order of the examination is to conform in so far as possible with the order of items as they appear on the form.

EXAMINER'S LACK OF BIAS. In so far as possible, the examiner should have no knowledge of the course or outcome of the pregnancy until this form has been completed.

WHEN TO USE THIS FORM. This form is to be used in every case in which the crown-rump length is 16.5 centimeters or more (gestational age 20 weeks or more), and in those cases in which the placenta is intact when the fetus is less than 16.5 centimeters crown-rump.

DESCRIPTION OF ABNORMALITIES. All abnormalities are to be described in the space provided at the bottom of the form. This includes those abnormalities which are not specifically mentioned in the form. If the space at the bottom of the form is not sufficient, additional pages may be added. Wherever possible, include the item number with the description of the abnormality.

METHODS OF PREPARING SECTIONS. At least three sections are to be prepared: cord, membrane roll, and placenta. In cases of twins, a section of the dividing membranes should also be prepared. In addition, sections of all significant gross abnormalities are to be prepared.

SECTION OF DIVIDING MEMBRANE OF TWINS. In fused placentas the first step after inspection and measuring of the length of the cord, etc., should be to remove a square of membranes from the area which divides the two amniotic sacs. In other words, the dividing membranes are identified and a section is cut through them. This section of membranes is then rolled by means of forceps and the roll is placed in fixative. After 24 hours, it is trimmed so that a jelly-roll-like structure is obtained for histologic examination.

SECTION OF UMBILICAL CORD. At the end of the gross examination of the umbilical cord, the cord is cut at a point two centimeters from the fetal surface and a section of the middle portion of the cord is placed in fixative. This segment should be approximately three to four centimeters in length and after proper fixation, a section should be trimmed from its center.

PREPARATION OF MEMBRANE ROLL. After inspection of the membranes, a segment is cut out measuring approximately ten centimeters in length and five centimeters in width, starting at the point of rupture and proceeding towards the margin of the placenta and including a very small piece of marginal placenta. Care must be taken that the amnion is not stripped off in this procedure. This section of membranes is then rolled by means of forceps and the roll is placed in fixative. After 24 hours, it is trimmed so that a jelly-roll-like structure is obtained for histologic examination.

SECTION OF PLACENTA. After complete sectioning and inspection of the cut surfaces of the placenta, select a representative block of placental tissue. Such a block is preferably three to four centimeters wide, spanning the entire thickness of the placenta and including the fetal surface with some large fetal blood vessels. It must be handled carefully lest it disrupt in the center. It should be chosen from the central portions of the placenta, some three or four centimeters away from the insertion of the cord, and it should be placed in fixative immediately. Abnormal areas, such as tumors, intervillous thromboses, and occasional infarcts, should be sampled as indicated. It is not deemed advisable to section all infarcts. However, it is suggested that cysts and intervillous thromboses and any other unusual structures be sampled for histologic observation. The choice of fixative is left to the individual institution.

Item 1, Patient Identification. As a minimum, enter the patient's name by addressograph or other method.

Item 2, Gross Examination By. Enter name and status of examiner.

Item 3, Time and Date. Enter the time and date of the examination.

January 1960

- Item 4, Multiple Births.** In cases of multiple births, 35 millimeter Kodachrome photographs of the placenta must be submitted with the protocol. Each fetus is to be designated A, B, etc., with regard to order of birth and a separate form is to be used for each fetus even if the placentas are fused. In cases of fused placentas, all entries after Item 13 refer to that portion of the placenta containing the fetal circulatory district of the fetus whose designation appears on the form. If the form is being used for a single birth, leave Items 5-8 blank.
- Item 5, Designation of Placenta Described on this Form.** If the multiple birth has two members enter the designation of the placenta of the twin described on this form. If the designations have not as yet been assigned on the basis of birth order, they are to be arbitrarily assigned at this time. If this multiple birth has more than two members, check box "other multiple births" and enter in space at the bottom of the form the number of fetuses and their designation.
- Item 6, Labeled at Delivery.** Self-explanatory.
- Item 7, Placentas Fused.** Enter "yes" or "no" in this space. Fill out a separate form for each fetus in either case.
- Item 8, If Fused Placentas, is Anastomosis Present.** In cases of fused placentas, the safest way to identify anastomoses is by injection of a colored medium into the placenta. Isolate areas of probable anastomoses and dissect one small surface vessel which leads into this district. Then isolate this vessel, insert a cannula with a ball tip, tying a small tie behind this ball tip and inject either air or preferably a colored dye. White or green dyes (e.g., a light green saline solution) provide better contrast than blue or red dyes and are more practical than the use of plastic injection materials. Large anastomoses may be identified readily by moving the possibly liquid blood in this large vessel from one placental district to the other. Check appropriate box and describe anastomoses in the space provided at the bottom of the form. Indicate whether anastomoses are artery to artery, vein to vein, or artery to vein. Note size of anastomoses, etc.
- Item 9, Dimensions.** The thickness is measured at the center of the placental tissue by piercing it with a knitting needle on which centimeter marks have been inscribed.
- Item 10, Shape.** Check appropriate box. If shape is other than round or oval, describe in Item 61.
- Item 11, Cord.** This section refers to the examination of the umbilical cord. If abnormalities are present other than those specified, describe them in Item 61.
- Item 12, Length of Cord.** Measure and enter the length of the cord left on the placenta plus any loose pieces. The pediatrician will measure the length of the cord left on the baby so that a total length may eventually be obtained.
- Item 13, Shortest Distance from Cord Insertion to Placental Margin.** Record this distance in centimeters. Check proper box with regard to type of insertion. If a membranous insertion is present, describe the course and integrity of the large fetal vessels from the insertion of the cord along the membranes onto the placenta.
- Item 14, Number of Vessels.** Self-explanatory.
- Item 15, True Knot in Cord.** Check appropriate box. In the presence of true knots, this segment of the umbilical cord should be fixed in toto and sections should be placed at the ends of the knot and through its center to observe possible thrombosis in some of the blood vessels.
- Item 16, Color of Cord.** Check appropriate box. If color is abnormal, describe in Item 61. Include some impression as to possible etiology of abnormal coloration.
- Item 17, Frozen Section Taken.** Check appropriate box.
- Item 18, Membranes and Fetal Surfaces.** If abnormalities are present other than those specified, describe them in Item 61. This is to be especially emphasized in the case of spontaneous hemorrhage of the fetal surface.
- Item 19, Membranes Complete.** Self-explanatory.
- Item 20, Decidual Necrosis.** This refers to changes in the decidua capsularis.

- Item 21, Membranes Edematous.** Self-explanatory.
- Item 22, Insertion of Membranes.** If the insertion is partial, then check two boxes to describe it properly and note in the space at the bottom of the form the proportion of each type of insertion, (e.g., in case of partial circumvallate insertion, check circumvallate and marginal and then note at the bottom of the form the proportion of the periphery of the placenta occupied by each type of insertion).
- Item 23, Shortest Distance from Edge of Rupture to Placental Margin.** If the rupture is at the margin or through the body of the placenta, enter "0" and describe in Item 61.
- Item 24, Color of the Fetal Surface.** Self-explanatory.
- Item 25, Opacity of Membranes.** Self-explanatory.
- Item 26, Subchorionic Fibrin.** This entry refers to the quantity of fibrin present.
- Item 27,** This entry refers to the distribution of fibrin present.
- Item 28, Thrombosed Fetal Vessels.** This does not include clots which formed after birth. If thrombosed vessels are present, note in Item 61, the type of vessel, its size and the presence or absence of degenerative changes in its walls. Also describe the thrombus and give an estimate of its age.
- Item 29, Amnion Nodosum.** If present, include in Item 61 a general description as to size, number and color of the granules.
- Item 30, Cysts.** If present, describe in Item 61. Note the number, size, location, and type of contents. Especially note the presence or absence of hemorrhage into the cyst.
- Item 31, Weight of Entire Placenta Less Cord, Membranes, and Large Clots.** Record in grams. In cases of fused twin placentas the placenta is to be cut along the approximate cleavage plane of fetal circulatory districts. The weight entered is to be that of the fetus whose designation appears on this form.
- Item 32, Maternal Surface.** If abnormalities are present other than those specified, describe them in Item 61.
- Item 33 and 34, Surface.** Self-explanatory.
- Item 35, Depressed area.** If "none" is checked, leave items 36 and 37 blank.
- Item 36, If Present.** State largest diameter and smallest diameter.
- Item 37, Apparently Caused By.** If cause is known and is not hemorrhage, atrophy, or infarct, check "other" or "unknown" cause and give cause in a note in Item 61.
- Item 38, Hemorrhage.** If "none" is checked for Item 38, then Items 39 and 40 are to be left blank. If more than one hemorrhage of significant size is present, then the largest one is to be described in Items 38 - 40 and similar information is to be provided for others of significance in Item 61.
- Item 39, Size.** Self-explanatory.
- Item 40, Shortest Distance from Peripheral Edge of Hemorrhage to Placental Margin.** Measure the shortest distance from the edge of the hemorrhage to the placental margin and check either or both boxes as applicable.
- Item 41, Cut Surface.** If abnormalities are present other than those specified, describe them in Item 61.
- Item 42, Infarcts.** Give number of infarcts according to color, in Items 43 and 44 if present. If none are present, write "0" in both blanks in Items 43 and 44. Also check box labeled "not applicable" in Item 45.
- Item 43, Pink-Red Infarcts.** Self-explanatory.
- Item 44, Yellow-White Infarcts.** Self-explanatory.
- Item 45, Size of Infarcts.** All infarcts more than 3 centimeters in largest diameter must be described in Item 61. The distribution of these infarcts should be noted and may be entered in a sketch of the placenta.
- Item 46, Maternal Floor Infarcts.** This refers to areas where the maternal surface is yellowish, very firm, and thickened. On section of these areas, the major portion of the villous tissue is normal, but the floor is apparently infarcted. If such an infarct is present, describe it in the space provided at the bottom of the form with regard to its size and location. The

PLACENTAL EXAMINATION - GROSS (Con't)

**PATH-1
7-59**

fissures which normally divide the "maternal" cotyledons are often absent in this condition. If the fissures are absent, this should be noted in the description.

- Item 47, Color.** This refers to the color of the cut surface.
- Item 48, Consistency.** Self-explanatory.
- Item 49, Intervillous Thrombosis.** If none are observed, write "0" in Items 50 - 53.
- Item 50, Total Number Laminated.** Self-explanatory.
- Item 51, Number Laminated in Marginal Sinus.** Self-explanatory.
- Item 52, Total Number not Laminated.** Self-explanatory.
- Item 53, Number not Laminated in Marginal Sinus.** Self-explanatory.
- Item 54, Tumor.** If present, describe in Item 61 with regard to type, size, location, shape, color, consistency, etc.
- Item 55, Hydatid Change.** If present, describe in Item 61 with regard to appearance and extent.

Item 56, True Cysts (in Substance). Enter number present. If none, write "0". Describe each cyst in Item 61 with regard to size, location and type of contents. Especially note presence or absence of hemorrhage into the cyst.

Item 57, Patient Identification. As a minimum, enter the patient's name by addressograph or other method.

Item 58, Gross Examination was Done with the Knowledge That: Self-explanatory.

Item 59, Special Studies. Describe any studies other than those choices specified on the form. "Photography" does not refer to routine photography of multiple birth placentas.

Item 60, Presence of Other Abnormalities. Check appropriate box with regard to the presence or absence of abnormalities other than those specifically mentioned in the form.

Item 61, Description of Abnormalities. In this space, all those abnormalities previously noted and all those abnormalities not specifically noted in the form are to be described. Whenever possible include the item number with the description of the abnormality.

January 1960

PATH-2 Placental Examination - Microscopic

Form PATH-2 provided precise, detailed information about the microscopic appearance of the placenta and how the placenta might relate to the outcome of the pregnancy for both mother and infant. The form was implemented into the study in November 1959; it was not revised. Data from PATH-2 were coded onto card 1202 of the master file (Table PATH-2.1).

TABLE PATH-2.1 Cards and Data Records by Revision for Form PATH-2

CARD NAME	CARD NUMBER	REV. NO.	NUMBER RECORDS
PATH-2: Cord, Membranes, Decidua, Terminal VIII	1202	2	49,799
			<hr style="width: 50px; margin-left: auto; margin-right: 0;"/>
			49,799
	total for form		49,799

Data Items Referencing Form PATH-2, Placental Exam - Micros.

DATA ITEM ID	ITEM ON FORM	CARD NUM	FROM	TO	DATA ITEM NAME
130.....		1202	1	5	Card number (sequence, form type, form number, revision number)
131.....		1202	6	14	NINDB case number
132.PATH-2	2	1202	15	16	Pathology; microscopic, examination by
133.PATH-2	3	1202	17	18	Pathology; microscopic, date (mo)
134.PATH-2	3	1202	19	20	Pathology; microscopic, date (day)
135.PATH-2	3	1202	21	22	Pathology; microscopic, date (yr)
136.PATH-2	4	1202	23	23	Pathology; microscopic, designation of placenta, plurality
137.PATH-2	5	1202	24	24	Pathology; microscopic, amnion available for examination
138.PATH-2	8	1202	25	25	Pathology; microscopic; cord, neutrophilic infiltration, umbilical vein
139.PATH-2	9	1202	26	26	Pathology; microscopic; cord, neutrophilic infiltration, umbilical artery
140.PATH-2	10	1202	27	27	Pathology; microscopic; cord, neutrophilic infiltration, cord substance
141.PATH-2	11	1202	28	28	Pathology; microscopic; cord, thrombosis of vessels
142.PATH-2	12	1202	29	29	Pathology; microscopic; cord, number of umbilical arteries
143.PATH-2	15	1202	30	30	Pathology; microscopic; membranes, epithelium of amnion, necrosis
144.PATH-2	16	1202	31	31	Pathology; microscopic; membranes, epithelium of amnion, squamous metaplasia
145.PATH-2	17	1202	32	32	Pathology; microscopic; membranes, epithelium of amnion, amnion nodosum
146.PATH-2	18	1202	33	33	Pathology; microscopic; membranes, epithelium of amnion, bacterial colonies
147.PATH-2	20	1202	34	34	Pathology; microscopic; membranes, neutrophilic infiltration, membrane roll, amnion
148.PATH-2	21	1202	35	35	Pathology; microscopic; membranes, neutrophilic infiltration, membrane roll, chorion
149.PATH-2	22	1202	36	36	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, amnion
150.PATH-2	23	1202	37	37	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, chorion
151.PATH-2	24	1202	38	38	Pathology; microscopic; membranes, neutrophilic infiltration, fetal surface vessels
152.PATH-2	25	1202	39	39	Pathology; microscopic; membranes, fetal surface vascular changes, other
153.PATH-2	27	1202	40	41	Pathology; microscopic; membranes, macrophages in amnion or chorion
154.PATH-2	28	1202	42	43	Pathology; microscopic; membranes, macrophages in decidua
155.PATH-2	29	1202	44	44	Pathology; microscopic; membranes, class. of dividing membranes of twin placentas
156.PATH-2	32	1202	45	45	Pathology; microscopic; decidua vessels, thrombosis
157.PATH-2	33	1202	46	46	Pathology; microscopic; decidua vessels, fibrinoid
158.PATH-2	34	1202	47	47	Pathology; microscopic; decidua vessels, atherome

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

FIELD

CARD
COLUMN

CORD

9. Neutrophilic Infiltration 25-27
Items 8, 9 and 10
Three-digit code for:
Umbilical Vein (col. 25)
Umbilical Artery (col. 26)
Cord Substance (col. 27)
Code for each column:
0 - Not seen
1 - Slight
2 - Marked
3 - Combination of codes 1 and 2, moderate
9 - Unknown
10. Thrombosis of Vessels 28
Item 11
Code: 0 - Not seen
1 - Present
9 - Unknown
11. Number of Umbilical Arteries 29
Item 12
Code: 1 - One
2 - Two
9 - Unknown

MEMBRANES

12. Epithelium of Amnion 30-33
Items 15, 16, 17 and 18
Four-digit code for:
Necrosis (col. 30)
Code: 0 - Not seen
1 - Present - not qualified further
2 - Present - slight
3 - Present - marked
9 - Unknown
Squamous Metaplasia (col. 31)
Amnion Nodosum (col. 32)
Bacterial Colonies (col. 33)
Code for each column:
Same as in Field 10

Data Items Referencing Form PATH-2, Placental Exam - Micros.

DATA ITEM ID	REF ON FORM	CARD NUM	FROM ID	DATA ITEM NAME
5374.....VAR	20	538	538	Pathology; microscopic; membranes, neutrophilic infiltration, membrane roll, amnion
5375.....VAR	20	539	539	Pathology; microscopic; membranes, neutrophilic infiltration, membrane roll, amnion (yes, no, unknown)
5376.....VAR	22	540	540	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, amnion
5377.....VAR	22	541	541	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, amnion (yes, no, unknown)
5378.....VAR	21	542	542	Pathology; microscopic; membranes, neutrophilic infiltration, membrane roll, chorion
5379.....VAR	21	543	543	Pathology; microscopic; membranes, neutrophilic infiltration, membrane roll, chorion (yes, no, unknown)
5380.....VAR	8	544	544	Pathology; microscopic; cord, neutrophilic infiltration, umbilical vein
5381.....VAR	8	545	545	Pathology; microscopic; cord, neutrophilic infiltration, umbilical vein (yes, no, unknown)

11-59

PLACENTAL EXAMINATION-MICROSCOPIC

INSTRUCTIONS: (1) For use when crown-rump length of fetus is 16.5 cm. or more (gestational age 20 weeks). (2) An entry is required for every item except those for twins only. (3) Describe all abnormalities in the space at bottom of sheet. (4) Examine at least 3 sections; cord, membrane roll, and placenta. (5) Use ball point pen.

2. MICROSCOPIC EXAMINATION BY: _____

3. DATE
 Mo. Day Year

4. DESIGNATION OF PLACENTA DESCRIBED ON THIS FORM
 Single Birth Twin A Twin B Other Multiple Birth (Identify below)

5. WAS AMNION AVAILABLE FOR EXAMINATION
 No Yes

6. CORD

7. NEUTROPHILIC INFILTRATION

8. Umbilical Vein
 Not seen Slight Marked

9. Umbilical Artery
 Not seen Slight Marked

10. Cord Substance
 Not seen Slight Marked

11. THROMBOSIS OF VESSELS
 Not seen Present (Describe)

12. NUMBER OF UMBILICAL ARTERIES
 One Two

13. MEMBRANES

14. EPITHELIUM OF AMNION

15. Necrosis
 Not seen Present

16. Squamous metaplasia
 Not seen Present

17. Amnion Nodulosa
 Not seen Present

18. Bacterial Colonies
 Not seen Present

19. NEUTROPHILIC INFILTRATION OF:

20. Amnion of Membrane Roll
 Not seen Slight Marked

21. Chorion of Membrane Roll
 Not seen Slight Marked

22. Amnion of Placental Surface
 Not seen Slight Marked

23. Chorion of Placental Surface
 Not seen Slight Marked

24. Fetal Surface Vessels
 Not seen Slight Marked

25. OTHER FETAL SURFACE VASCULAR CHANGES
 None Thrombosis Necrosis Other (Describe)

26. MACROPHAGES

27. In Amnion or Chorion
 Not seen Present (containing no pigment) Present (containing meconium) Present (containing hemosiderin) Present (containing unknown pigment)

28. In Decidua
 Not seen Present (containing no pigment) Present (containing meconium) Present (containing hemosiderin) Present (containing unknown pigment)

29. TWIN PLACENTAS ONLY - CLASSIFY DIVIDING MEMBRANES
 Monoamniotic-Monochorionic (No dividing membranes present) Diamniotic-Dichorionic Diamniotic-Monochorionic Unknown

30. DECIDUA

31. VESSELS (of intact, non-necrotic area of decidua)

32. Thrombosis
 Not seen Present Unable to evaluate

33. Fibrinoid
 Not seen Present Unable to evaluate

34. Atheroma
 Not seen Present Unable to evaluate

35. NECROSIS

36. At Margin
 Not marked Marked Unable to evaluate

37. In Capsularis
 Not marked Marked Unable to evaluate

38. In Basalis
 Not marked Marked Unable to evaluate

39. NEUTROPHILIC INFILTRATION

40. At Margin
 Not seen Slight Marked

41. In Capsularis
 Not seen Slight Marked

42. In Basalis
 Not seen Slight Marked

43. LYMPHOCYTIC INFILTRATION

44. At Margin
 Not seen Slight Marked

45. In Capsularis
 Not seen Slight Marked

46. In Basalis
 Not seen Slight Marked

47. CYTOTROPHBLAST OF COLUMNS

48. Fibrin Deposition
 Average Excessive

49. Cystic Change
 Not seen Present

50. SYNCYTIUM-NUCLEAR CLUMPING
 Normal (clumps on 30% of villi) Less than normal for term placenta Excessive for term placenta

51. TERMINAL VILLI

52. LANGHANS' LAYER
 Absent Present

53. HOFBAUER CELLS
 Few Many

54. STROMAL FIBROSIS
 Not seen Present (Describe)

55. PATHOLOGICAL EDEMA
 Not seen Present (Describe)

56. MICRO INFARCTS (as specified in manual)
 Not seen Present

57. NUCLEATED RBC IN FETAL CIRCULATION
 Not seen Present

58. MELANIN
 Not seen Slight Marked

Collaborative Research
Perinatal Research Branch, NINDB, NIH
Bethesda 14, Md.

PLACENTAL EXAMINATION—MICROSCOPIC
(Continued)

60. INTERVILLOUS SPACE

61. INTERVILLOUS THROMBI <input type="checkbox"/> Not seen <input type="checkbox"/> Present, RBC intact <input type="checkbox"/> Present, RBC hemolyzed 0 1 2			62. IF THROMBI PRESENT <input type="checkbox"/> No adjacent villous infarction seen <input type="checkbox"/> Adjacent villous infarction seen 0 1		
63. MARGINAL SINUS THROMBI <input type="checkbox"/> Not seen <input type="checkbox"/> Present, RBC intact <input type="checkbox"/> Present, RBC hemolyzed 0 1 2			64. SICKLING (maternal blood) <input type="checkbox"/> Not noted <input type="checkbox"/> Present 0 1		
65. APPARENT MATURITY OF PLACENTA <input type="checkbox"/> Under 20 weeks <input type="checkbox"/> 20-27 weeks <input type="checkbox"/> 28-36 weeks <input type="checkbox"/> 37 weeks or over 1 2 3 4					
66. MICROSCOPIC EXAMINATION WAS DONE WITH KNOWLEDGE THAT: <input type="checkbox"/> Clinical course or outcome for mother or baby was normal <input type="checkbox"/> Clinical course or outcome for mother or baby was abnormal <input type="checkbox"/> With no knowledge of the case 1 2 3					
67. PRESENCE OF OTHER ABNORMALITIES <input type="checkbox"/> No abnormalities other than those specified above <input type="checkbox"/> Abnormalities other than those specified above 0 1					
68. DESCRIPTION OF ABNORMALITIES CHECKED AND OTHER PERTINENT FINDINGS. IDENTIFY EACH COMMENT BY THE CORRESPONDING ITEM NUMBER.					

69. FINAL DIAGNOSIS

70. DO NOT USE

Form Item Numbers Linked to Data Items on PATH-2, Placental Exam - Micros.

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
	5373.....VAR		537	537	Pathology: microscopic; membranes, macrophages in decidua (yes, no, unknown)
2	132.PATH-2	1202	15	16	Pathology: microscopic, examination by
3	134.PATH-2	1202	19	20	Pathology: microscopic, date (day)
3	133.PATH-2	1202	17	18	Pathology: microscopic, date (mo)
3	135.PATH-2	1202	21	22	Pathology: microscopic, date (yr)
4	136.PATH-2	1202	23	23	Pathology: microscopic, designation of placenta, plurality
5	137.PATH-2	1202	24	24	Pathology: microscopic, amnion available for examination
8	138.PATH-2	1202	25	25	Pathology: microscopic; cord, neutrophilic infiltration, umbilical vein
8	5380.....VAR		544	544	Pathology: microscopic; cord, neutrophilic infiltration, umbilical vein
8	5381.....VAR		545	545	Pathology: microscopic; cord, neutrophilic infiltration, umbilical vein (yes, no, unknown)
9	139.PATH-2	1202	26	26	Pathology: microscopic; cord, neutrophilic infiltration, umbilical artery
10	140.PATH-2	1202	27	27	Pathology: microscopic; cord, neutrophilic infiltration, cord substance
11	141.PATH-2	1202	28	28	Pathology: microscopic; cord, thrombosis of vessels
12	5368.....VAR		530	530	Pathology: cord, arteries, number
12	142.PATH-2	1202	29	29	Pathology: microscopic; cord, number of umbilical arteries
15	143.PATH-2	1202	30	30	Pathology: microscopic; membranes, epithelium of amnion, necrosis
16	144.PATH-2	1202	31	31	Pathology: microscopic; membranes, epithelium of amnion, squamous metaplasia
17	145.PATH-2	1202	32	32	Pathology: microscopic; membranes, epithelium of amnion, amnion nodosum
18	146.PATH-2	1202	33	33	Pathology: microscopic; membranes, epithelium of amnion, bacterial colonies
20	147.PATH-2	1202	34	34	Pathology: microscopic; membranes, neutrophilic infiltration, membrane roll, amnion
20	5374.....VAR		538	538	Pathology: microscopic; membranes, neutrophilic infiltration, membrane roll, amnion
20	5375.....VAR		539	539	Pathology: microscopic; membranes, neutrophilic infiltration, membrane roll, amnion (yes, no, unknown)
21	5378.....VAR		542	542	Pathology: microscopic; membranes, neutrophilic infiltration, membrane roll, chorion
21	148.PATH-2	1202	35	35	Pathology: microscopic; membranes, neutrophilic infiltration, membrane roll, chorion
21	5379.....VAR		543	543	Pathology: microscopic; membranes, neutrophilic infiltration, membrane roll, chorion (yes, no, unknown)
22	5376.....VAR		540	540	Pathology: microscopic; membranes, neutrophilic infiltration, placental surface, amnion

Form Item Numbers linked to Data Items on PATH-2, Placental Exam - Micros.

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
22	149.PATH-2	1202	36	36	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, amnion
22	5377....VAR		541	541	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, amnion (yes, no, unknown)
23	150.PATH-2	1202	37	37	Pathology; microscopic; membranes, neutrophilic infiltration, placental surface, chorion
24	151.PATH-2	1202	38	38	Pathology; microscopic; membranes, neutrophilic infiltration, fetal surface vessels
25	152.PATH-2	1202	39	39	Pathology; microscopic; membranes, fetal surface vascular changes, other
27	153.PATH-2	1202	40	41	Pathology; microscopic; membranes, macrophages in amnion or chorion
27	5370....VAR		532	533	Pathology; microscopic; membranes, macrophages in amnion or chorion
27	5371....VAR		534	534	Pathology; microscopic; membranes, macrophages in amnion or chorion (yes, no, unknown)
28	5372....VAR		535	536	Pathology; microscopic; membranes, macrophages in decida
28	154.PATH-2	1202	42	43	Pathology; microscopic; membranes, macrophages in decida
29	155.PATH-2	1202	44	44	Pathology; microscopic; membranes, class. of dividing membranes of twin placentas
32	156.PATH-2	1202	45	45	Pathology; microscopic; decidual vessels, thrombosis
33	157.PATH-2	1202	46	46	Pathology; microscopic; decidual vessels, fibrinoid
34	158.PATH-2	1202	47	47	Pathology; microscopic; decidual vessels, atherome
36	159.PATH-2	1202	48	48	Pathology; microscopic; decidual necrosis, margin
37	160.PATH-2	1202	49	49	Pathology; microscopic; decidual necrosis, capsularis
38	161.PATH-2	1202	50	50	Pathology; microscopic; decidual necrosis, basal
40	162.PATH-2	1202	51	51	Pathology; microscopic; decida, neutrophilic infiltration at margin
41	163.PATH-2	1202	52	52	Pathology; microscopic; decida, neutrophilic infiltration in capsularis
42	164.PATH-2	1202	53	53	Pathology; microscopic; decida, neutrophilic infiltration in basal
44	165.PATH-2	1202	54	54	Pathology; microscopic; decida, lymphocytic infiltration at margin
45	166.PATH-2	1202	55	55	Pathology; microscopic; decida, lymphocytic infiltration in capsularis
46	167.PATH-2	1202	56	56	Pathology; microscopic; decida, lymphocytic infiltration in basal
48	168.PATH-2	1202	57	57	Pathology; microscopic; decida, cytotrophoblast of columns, fibrin deposition
49	169.PATH-2	1202	58	58	Pathology; microscopic; decida, cytotrophoblast of columns, cystic change
50	170.PATH-2	1202	59	59	Pathology; microscopic; decida, syncytium, nuclear clumping
52	171.PATH-2	1202	60	60	Pathology; microscopic; terminal villi, Langhans' layer
53	172.PATH-2	1202	61	61	Pathology; microscopic; terminal villi, Hofbauer cells
54	173.PATH-2	1202	62	62	Pathology; microscopic; terminal villi, stromal fibrosis

Form Item Numbers linked to Data Items on PATH-2, Placental Exam - micros.

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
55	174.PATH-2	1202	63	63	Pathology: microscopic; terminal villi, pathological edema
56	175.PATH-2	1202	64	64	Pathology: microscopic; terminal villi, micro infarcts
57	176.PATH-2	1202	65	65	Pathology: microscopic; terminal villi, nucleated RBC in fetal circulation
58	177.PATH-2	1202	66	66	Pathology: microscopic; terminal villi, melanin
61-62	178.PATH-2	1202	67	68	Pathology: microscopic; intervillous space, thrombi and adjacent villous infarction
63	179.PATH-2	1202	69	69	Pathology: microscopic; intervillous space, marginal sinus thrombi
64	180.PATH-2	1202	70	70	Pathology: microscopic; intervillous space, sickling; maternal blood
65	181.PATH-2	1202	71	71	Pathology: microscopic; intervillous space, apparent maturity of placenta
66	182.PATH-2	1202	72	72	Pathology: microscopic; exam done with knowledge of case
67	183.PATH-2	1202	73	73	Pathology: microscopic; other abnormalities present

DEFINITION OF CODES
 PLACENTAL EXAMINATION - MICROSCOPIC
 FORM PATH-2 CARD 12022

<u>FIELD</u>	<u>CARD COLUMN</u>
1. <u>Card Number</u> Code: 1	1
2. <u>Form Number</u> Code: 202	2-4
3. <u>Revision Number</u> Code: 2 - Form dated: 8/59 (Revised coding 1965)	5
4. <u>NINDB Number</u> Item 1 Nine-digit number for Patient Identification Code: As given	6-14
5. <u>Microscopic Examination By</u> Item 2 Code: See "Examiners" - 12012 card, pages 12-13	15-16
6. <u>Date</u> Item 3 Six-digit code for: <u>Month</u> (cols. 17-18) <u>Day</u> (cols. 19-20) <u>Year</u> (cols. 21-22) Code: As given 99 - Month, Day and/or Year Unknown	17-22
7. <u>Designation of Placenta</u> Item 4 Code: 0 - Single birth 1 - First of Multiple 2 - Second of Multiple 3 - Third of Multiple 4 - Fourth of Multiple 9 - Unknown	23
8. <u>Amnion Available for Examination</u> Item 5 Code: 0 - No 1 - Yes - not further qualified 2 - Yes - roll only 3 - Yes - fetal or placental surface only 9 - Unknown	24

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

FIELD

CARD
COLUMN

CORD

9. Neutrophilic Infiltration 25-27
Items 8, 9 and 10
Three-digit code for:
Umbilical Vein (col. 25)
Umbilical Artery (col. 26)
Cord Substance (col. 27)
Code for each column:
0 - Not seen
1 - Slight
2 - Marked
3 - Combination of codes 1 and 2, moderate
9 - Unknown
10. Thrombosis of Vessels 28
Item 11
Code: 0 - Not seen
1 - Present
9 - Unknown
11. Number of Umbilical Arteries 29
Item 12
Code: 1 - One
2 - Two
9 - Unknown

MEMBRANES

12. Epithelium of Amnion 30-33
Items 15, 16, 17 and 18
Four-digit code for:
Necrosis (col. 30)
Code: 0 - Not seen
1 - Present - not qualified further
2 - Present - slight
3 - Present - marked
9 - Unknown
Squamous Metaplasia (col. 31)
Amnion Nodosum (col. 32)
Bacterial Colonies (col. 33)
Code for each column:
Same as in Field 10

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

FIELD

CARD
COLUMN

13. Neutrophilic Infiltration of:
Items 20, 21, 22, 23 and 24
Five-digit code for:
- | | |
|-------------------------------------|-----------|
| <u>Amnion of Membrane Roll</u> | (col. 34) |
| <u>Chorion of Membrane Roll</u> | (col. 35) |
| <u>Amnion of Placental Surface</u> | (col. 36) |
| <u>Chorion of Placental Surface</u> | (col. 37) |
| <u>Fetal Surface Vessels</u> | (col. 38) |
- Code for each column:
Same as in Field 9
14. Other Fetal Surface Vascular Changes
Item 25
Code: 0 - None
1 - Thrombosis
2 - Necrosis
3 - Combination of codes 1 and 2
4 - Other than specified above
5 - Combination of codes 1 and 4
6 - Combination of codes 2 and 4
7 - Combination of codes 1, 2 and 4
9 - Unknown
15. Macrophage
Items 27 and 28
Four-digit code for:
- | | |
|-----------------------------|---------------|
| <u>In Amnion or Chorion</u> | (cols. 40-41) |
| <u>In Decidua</u> | (cols. 42-43) |
- Code for each two columns:
- 00 - Not seen
 - 01 - Containing no pigment
 - 02 - Containing meconium
 - 03 - Combination of codes 01 and 02
 - 04 - Containing hemosiderin
 - 05 - Combination of codes 01 and 04
 - 06 - Combination of codes 02 and 04
 - 07 - Combination of codes 01, 02 and 04
 - 08 - Containing unknown pigment
 - 09 - Combination of codes 01 and 08
 - 10 - Combination of codes 02 and 08
 - 11 - Combination of codes 01, 02 and 08
 - 12 - Combination of codes 04 and 08
 - 13 - Combination of codes 01, 04 and 08
 - 14 - Combination of codes 02, 04 and 08
 - 15 - Combination of codes 01, 02, 04 and 08
 - 99 - Unknown

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

FIELD

CARD
COLUMN

16. Classification of Dividing Membranes of Twin Placentas

44

Item 29

- Code: 0 - Single birth
 1 - Monoamniotic - monochorionic
 2 - Diamniotic - dichorionic
 3 - Diamniotic - monochorionic
 8 - Other than twins
 9 - Unknown

DECIDUA

17. Vessels

45-47

Items 32, 33 and 34

Three-digit code for:

- Thrombosis (col. 45)
Fibrinoid (col. 46)
Atharoma (col. 47)

Code for each column:

- 0 - Not seen
 1 - Present
 2 - Unable to determine
 9 - Unknown

18. Necrosis

48-50

Items 36, 37 and 38

Three-digit code for:

- At Margin (col. 48)
In Capsularis (col. 49)
In Basalis (col. 50)

Code for each column:

- 0 - Not marked
 1 - Marked
 2 - Unable to determine
 9 - Unknown

19. Neutrophilic Infiltration

51-53

Items 40, 41 and 42

Three-digit code for:

- At Margin (col. 51)
In Capsularis (col. 52)
In Basalis (col. 53)

Code for each column:

Same as in Field 9

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

<u>FIELD</u>		<u>CARD</u> <u>COLUMN</u>
20.	<p><u>Lymphocytic Infiltration</u> Items 44, 45 and 46 Three-digit code for:</p> <p><u>At Margin</u> (col. 54) <u>In Capsularis</u> (col. 55) <u>In Basalis</u> (col. 56)</p> <p>Code for each column: Same as in Field 9</p>	54-56
21.	<p><u>Cytotrophoblast of Columns</u> Items 48 and 49 Two-digit code for:</p> <p><u>Fibrin Deposition</u> (col. 57) Code: 0 - Not seen 1 - Average 2 - Excessive 3 - Combination of codes 1 and 2 4 - Less than average 8 - Unable to determine 9 - Unknown</p> <p><u>Cystic Change</u> (col. 58) Code: 0 - Not seen 1 - Present 8 - Unable to determine 9 - Unknown</p>	57-58
22.	<p><u>Syncytium - Nuclear Clumping</u> Item 50 Code: 1 - Normal 2 - Less than normal for term placenta 3 - Excessive for term placenta 4 - Excessive in parts 8 - Unable to determine 9 - Unknown</p>	59
TERMINAL VILLI		
23.	<p><u>Lenghens' Layer</u> Item 52 Code: Same as in Field 10</p>	60
24.	<p><u>Hofbauer Cells</u> Item 53 Code: 1 - Few 2 - Many 9 - Unknown</p>	61

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

<u>FIELD</u>	<u>CARD COLUMN</u>
25. <u>Stromal Fibrosis</u> Item 54 Code: 0 - Not seen 1 - Present - not qualified further 2 - Present - rare 3 - Present - many 8 - Unable to determine 9 - Unknown	62
26. <u>Pathological Edema</u> Item 55 Code: Same as in Field 25	63
27. <u>Micro Infarcts</u> Item 56 Code: Same as in Field 25	64
28. <u>Nucleated RBC in Fetal Circulation</u> Item 57 Code: Same as in Field 25	65
29. <u>Melanin</u> Item 58 Code: Same as in Field 9	66
INTERVILLOUS SPACE	
30. <u>Intervillous Thrombi and Adjacent Villous Infarction</u> Items 61 and 62 Code: 00 - Not seen 10 - RBC intact and no adjacent villous seen 11 - RBC intact and adjacent villous seen 12 - Combination of codes 10 and 11 20 - RBC hemolyzed and no adjacent villous seen 21 - RBC hemolyzed and adjacent villous seen 22 - Combination of codes 20 and 21 30 - Combination of codes 10 and 20 31 - Combination of codes 11 and 21 32 - Combination of codes 12 and 22 99 - Unknown	67-68
31. <u>Marginal Sinus Thrombi</u> Item 63 Code: 0 - Not seen 1 - RBC intact 2 - RBC hemolyzed 3 - Combination of codes 1 and 2 9 - Unknown	69

DEFINITION OF CODES (continued)

FORM PATH-2
Card 12022

<u>FIELD</u>	<u>CARD COLUMN</u>
32. <u>Sickling: Maternal Blood</u> Item 64 Code: Same as in Field 21, col. 58	70
33. <u>Apparent Maturity of Placenta</u> Item 65 Code: 1 - Under 20 weeks 2 - 20-27 weeks 3 - 28-36 weeks 4 - 37 weeks or over 8 - Unable to determine 9 - Unknown	71
34. <u>Microscopic Examination Was Done With Knowledge That</u> Item 66 Code: 0 - No knowledge 1 - Normal outcome for mother or baby 2 - Abnormal outcome for mother or baby 9 - Unknown	72
35. <u>Presence of Other Abnormalities</u> Item 67 Code: Same as in Field 10	73

Placental Examination - Microscopic
form PATH-2

ITEM # ON FORM	REVISION #	1	2	3	DATE	CORD	MEMBRANES	DECIDUA	TERMINAL VILLI	INTERVILLOUS SPACE	BLANK
1											
2											
3											
4											
5											
6											
7											
8											
9											
X											
0											
1											
2											
3											
4											
5											
6											
7											
8											
9											

PLACENTAL EXAMINATION-MICROSCOPIC
(For Form PATH-2, Dated 11-59)

PURPOSE. The purpose of this examination is to provide precise, detailed information about the microscopic appearance of the placenta and how it may relate to the outcome of the pregnancy for both mother and infant. Report the information on PATH-2, Placental Examination - Microscopic.

ORDER OF EXAMINATION. For the sake of convenience and thoroughness, the order of the examination is to conform in so far as possible with the order of items as they appear on the form.

EXAMINER'S LACK OF BIAS. Insofar as possible, the examiner should have no knowledge of course or outcome of the pregnancy until this form has been completed.

WHEN TO USE THIS FORM. This form is to be used in every case in which the crown-rump length is 16.5 centimeters or more (gestational age 20 weeks or more), and in those cases in which the placenta is intact when the fetus is less than 16.5 centimeters crown-rump.

EXAMINATION OF SECTIONS. During the course of this examination, at least three sections — cord, membrane roll, and placenta — should be examined. The methods for the preparation of these sections are outlined in Pathology Manual, PHS-3222-1, Placental Examination — Gross.

DESCRIPTION OF ABNORMALITIES. All abnormalities are to be described in Item 68. This includes those abnormalities which are not specifically mentioned in the form. Wherever possible, the item number corresponding to the abnormality should be included with the description of the abnormality. If the space at the bottom of the sheet is not sufficient, additional pages may be added.

MULTIPLE BIRTHS. In cases of multiple births, a separate form is to be prepared for the placenta of each fetus.

INSTRUCTIONS

Item 1, Patient Identification. As a minimum, enter the patient's name by addressograph or other method.

Item 2, Microscopic Examination By. Enter name and status of examiner.

Item 3, Date. Enter date of examination.

Item 4, Designation of Placenta Described on this Form. Check the appropriate box. In cases of multiple births with more than two members, check box "other multiple births" and enter in Item 68 the number of fetuses and the designation of the fetus whose placenta is described in this form.

Item 5, Was Amnion Available for Examination. Self-explanatory.

Item 6, Cord. If abnormalities are present other than those specified, describe them in Item 68. In particular, if any special sections have been taken during the course of the gross examination, describe these fully.

Item 7, Neutrophilic Infiltration. Self-explanatory.

Item 8, Umbilical Vein. Self-explanatory.

Item 9, Umbilical Artery. Self-explanatory.

Item 10, Cord Substance. Self-explanatory.

Item 11, Thrombosis of Vessels. If present, describe in Item 68 the age of the thrombus, the size of the vessel and the presence or absence of degenerative changes in the wall of the vessel.

Item 12, Number of Umbilical Arteries. Self-explanatory.

Item 13, Membranes. Self-explanatory.

Item 14, Epithelium of Amnion. Self-explanatory.

Item 15, Necrosis. If present, describe in Item 68 with regard to degree and extent.

Item 16, Squamous Metaplasia. Self-explanatory.

Item 17, Amnion Nodulum. Self-explanatory.

Item 18, Bacterial Colonies. If present, describe these morphologically, insofar as is possible, in Item 68.

Item 19, Neutrophilic Infiltration of. Self-explanatory.

Item 20, Amnion of Membrane Roll. Self-explanatory.

January 1960

- Item 21, Chorion of Membrane Roll.** Self-explanatory.
- Item 22, Amnion of Placental Surface.** Self-explanatory.
- Item 23, Chorion of Placental Surface.** Self-explanatory.
- Item 24, Fetal Surface Vessels.** Self-explanatory.
- Item 25, Other Fetal Surface Vascular Changes.** Check the proper box. If changes are present, describe them in Item 68.
- Item 26, Macrophages.** Self-explanatory.
- Item 27, In Amnion or Chorion.** Self-explanatory.
- Item 28, In Decidua.** Self-explanatory.
- Item 29, Twin Placentas Only - Classify Dividing Membranes.** Fill out this item only in the case of twins. If this is a multiple birth, of more than two members, leave this blank and describe all the dividing membranes in Item 68. Indicate the relationship of the fetus described on this form to the other members of the birth insofar as the dividing membranes are concerned.
- Item 30, Decidua.** If abnormalities are present other than those specified describe them in Item 68.
- Item 31, Vessels.** These must be observed in intact, non-necrotic areas of decidua.
- Item 32, Thrombosis.** If present, describe in Item 68 with regard to age, extent, and whether or not the lumen of the vessel is narrowed.
- Item 33, Fibrinoid.** If present, describe in Item 68 with regard to extent and presence or absence of luminal narrowing.
- Item 34, Atheroma.** If present, describe in Item 68 with regard to extent and presence or absence of luminal narrowing.
- Item 35, Necrosis.** Self-explanatory.
- Item 36, At Margin.** This refers to necrosis at the margin of the placenta.
- Item 37, In Capsularis.** This refers to necrosis in the decidua basalis.
- Item 38, In Basalis.** This refers to necrosis in the decidua basalis.
- Item 39, Neutrophilic Infiltration.** Self-explanatory.
- Item 40, At Margin.** Self-explanatory.
- Item 41, In Capsularis.** Self-explanatory.
- Item 42, In Basalis.** Self-explanatory.
- Item 43, Lymphocytic Infiltration.** Self-explanatory.
- Item 44, At Margin.** Self-explanatory.
- Item 45, In Capsularis.** Self-explanatory.
- Item 46, In Basalis.** Self-explanatory.
- Item 47, Cytotrophoblast of Columns.** Self-explanatory.
- Item 48, Fibrin Deposition.** This refers to the fibrin or fibrinoid deposits which occur in cytotrophoblast cells as term is approached.
- Item 49, Cystic Change.** These may form within the trophoblastic columns. If the change is present, check the proper box.
- Item 50, Syncytium-Nuclear Clumping.** At term, approximately 30% of all terminal fetal villi have a syncytial bud attached to their surface. Using this as a normal, check the proper box with regard to syncytial nuclear clumping in the placenta under examination.
- Item 51, Terminal Villi.** If abnormalities other than those specified are present, describe them in Item 68.
- Item 52, Langhans Layer.** Self-explanatory.
- Item 53, Hofbauer Cells.** Self-explanatory.
- Item 54, Stromal Fibrosis.** If present, describe in Item 68 with regard to degree and distribution.
- Item 55, Pathological Edema.** If present, describe in Item 68 with regard to extent and distribution and roughly estimate what proportion of villi appear to be involved.
- Item 56, Microinfarcts.** Microinfarcts are small areas of incipient degeneration of placental tissue which form a distinct histologic lesion although they cannot be seen grossly. Most

often terminal villi are closely packed in a microinfarct and often they appear to be agglutinated by inflammatory cells or degenerated epithelium. The blood vessels are apparently obliterated.

Item 57, Nucleated RBC in Fetal Circulation. Self-explanatory.

Item 58, Melanin. This pigment may be present within, and next to, calcium deposits, in fibrin masses, in the thickened granular basement membrane of villi, and rarely in Hofbauer cells. It is yellowish-brown in color.

Item 59, Patient Identification. As a minimum, enter the patient's name by addressograph or other method.

Item 60, Intervillous Spaces. If abnormalities other than those specified are present, describe them in Item 68.

Item 61, Intervillous Thrombi. If nucleated red blood cells are seen in the substance of such a thrombus, this should be noted in Item 68.

Item 62, If Thrombi Present. Self-explanatory.

Item 63, Marginal Sinus Thrombi. Self-explanatory.

Item 64, Sickling (Maternal Blood). Self-explanatory.

Item 65, Apparent Maturity of Placenta. Self-explanatory. If question arises as to the criteria to be used in this estimation, the examiner is referred to pages 14 and 15 of the revised form of *The Examination of the Placenta* by Dr. Kurt Benirschke.

Item 66, Microscopic Examination Was Done with Knowledge That. Self-explanatory.

Item 67, Presence of Other Abnormalities. Check the appropriate box with respect to presence of abnormalities other than those specifically mentioned in the form.

Item 68, Description of Abnormalities. In this space, all those abnormalities previously noted and all those abnormalities not specifically mentioned in this form are to be described. Whenever possible, include the item number with the description of the abnormality.

Item 69, Final Diagnosis. Self-explanatory.

Item 70, Do Not Use. This box is to be used by central office of Collaborative Research for coding.

PATH-3 Autopsy Protocol

Form PATH-3 was used to provide information obtained from autopsies of deceased infants or children. Implemented into the study in August 1961, the form was never revised. Data from PATH-3 were punched onto three cards of the master file (Table PATH-3.1).

TABLE PATH-3.1 Cards and Data Records by Revision for Form PATH-3

Card Name	Card Number	Rev. No.	Number Records
PATH-3: Diagnoses	1203	1	28,329
PATH-3: Weights of Organs	2203	1	3,083
PATH 3: Summary of Conditions	4203	1	2,172
	total for form		33,584

Data Items Referencing Form PATH-3, Autopsy Protocol

DATA ITEM TO	ITEM CODE	CARD NUMBER	FROM	TH	DATA ITEM NAME
3647.....		1701	1	1	5 Card number (sequence, form type, form number, revision number)
3648.....		1703	6	14	MINH case number
3649.PATH-1		1703	15	18	Autopsy; lab accession number
3650.PATH-1		1703	19	19	Autopsy; event type
3651.PATH-1		1703	20	21	Autopsy; destination at birth (wks)
3652.PATH-1		1703	22	25	Autopsy; age at death, postnatal
3653.PATH-1		1703	24	27	Autopsy; birth weight (gms)
3654.PATH-1		1703	28	28	Autopsy; sex
3655.PATH-1		1703	29	29	Autopsy; race
3656.PATH-3		1703	30	30	Autopsy; race, source of information
3657.PATH-1		1703	31	35	Autopsy; weight at autopsy (gms)
3658.PATH-1		1703	36	37	Autopsy; prosecutor
3659.PATH-1		1703	38	39	Autopsy; microscopic done by
3660.PATH-1		1703	40	41	Autopsy; editor
3661.PATH-1		1703	42	42	Autopsy; brain disposition
3662.PATH-1		1703	43	44	Autopsy; pathologist, code
3663.PATH-1		1703	45	46	Autopsy; diagnosis; anatomic, for abortion
3664.PATH-1		1703	47	48	Autopsy; diagnosis; derived from gross, micro, etc.
3665.PATH-1		1703	49	49	Autopsy; diagnosis; derived from placenta, mother, father, etc.
3666.PATH-1		1703	50	51	Autopsy; diagnosis; sequence number
3667.PATH-1		1703	52	55	Autopsy; diagnosis; topographic, SNOP
3668.....		1703	56	56	Blank
3669.PATH-1		1703	57	60	Autopsy; diagnosis; morphologic, SNOP
3670.....		1703	61	61	Blank
3671.PATH-1		1703	62	65	Autopsy; diagnosis; etiologic, SNOP
3672.....		1703	66	66	Blank
3673.PATH-1		1703	67	70	Autopsy; diagnosis; functional, SNOP
3674.....		1703	71	71	Blank
3675.PATH-1		1703	72	72	Autopsy; diagnosis; topographic, deviations
3676.PATH-1		1703	73	73	Autopsy; diagnosis; morphologic, deviations
3677.PATH-1		1703	74	74	Autopsy; diagnosis; etiologic, deviations
3678.PATH-1		1703	75	75	Autopsy; diagnosis; functional, deviations
3679.PATH-1		1703	76	76	Autopsy; diagnosis; functional, deviations
3680.PATH-1		1703	77	77	Autopsy; diagnosis; degree of involvement
3681.....		1703	78	80	Blank
3682.....		2203	1	5	Card number (sequence, form type, form number, revision number)
3683.....		2203	6	14	MINH case number
3684.PATH-1		2203	15	18	Autopsy; lab accession number
3685.PATH-1		2203	19	19	Autopsy; event, type
3686.PATH-1		2203	20	21	Autopsy; destination at birth (wks)
3687.PATH-1		2203	22	25	Autopsy; age at death, postnatal
3688.PATH-1		2203	24	27	Autopsy; birth weight

Date Items Referencing Form PATH-3, Autopsy Protocol

DATA ITEM ID	ITFM JM FORM	CARD NUM	FROM	TO	DATA ITEM NAME
3689.PATH-3		2203	28	78	Autopsy; sex
3690.PATH-3		2203	29	79	Autopsy; race
3691.PATH-3		2203	30	32	Autopsy; placenta, weight (gms)
3692.PATH-3		2203	33	35	Autopsy; length; crown rump (cm)
3693.PATH-3		2203	36	39	Autopsy; length; crown heel (cm)
3694.PATH-3		2203	40	44	Autopsy; weight; at autopsy (gms)
3695.PATH-3		2203	45	44	Autopsy; weight; thymus (gms)
3696.PATH-3		2203	47	48	Autopsy; weight; heart (gms)
3697.PATH-3		2203	49	51	Autopsy; weight; lung, right (gms)
3698.PATH-3		2203	52	54	Autopsy; weight; lung, left (gms)
3699.PATH-3		2203	55	57	Autopsy; weight; spleen (gms)
3700.PATH-3		2203	59	61	Autopsy; weight; liver (gms)
3701.PATH-3		2203	62	63	Autopsy; weight; adrenals (gms)
3702.PATH-3		2203	64	66	Autopsy; weight; kidney, right (gms)
3703.PATH-3		2203	67	69	Autopsy; weight; kidney, left (gms)
3704.PATH-3		2203	70	73	Autopsy; weight; brain (gms)
3705.PATH-3		2203	74	74	weights, how recorded
3706.PATH-3		2203	75	76	Autopsy; hours since death
3707.PATH-3		2203	77	77	State of body when received
3708.....		2203	78	80	Blank
3709.....		4203	1	5	Card number (sequence, form type, form number, revision number)
3710.....		4203	6	14	WIND case number
3711.PATH-3		4203	15	15	Autopsy summary; maceration, degree
3712.PATH-3		4203	16	16	Autopsy summary; malformations, lethality
3713.PATH-3		4203	17	17	Autopsy summary; malformations, major
3714.PATH-3		4203	18	18	Autopsy summary; malformations, minor
3715.PATH-3		4203	19	19	Autopsy summary; hyaline membrane
3716.PATH-3		4203	20	20	Autopsy summary; pneumonia
3717.PATH-3		4203	21	21	Autopsy summary; erythroblastosis fetalis
3718.PATH-3		4203	22	22	Autopsy summary; lung, atelectasis
3719.PATH-3		4203	23	23	Autopsy summary; pulmonary hemorrhage
3720.PATH-3		4203	24	24	Autopsy summary; petechiae, other than subdural/subcapsular
3721.PATH-3		4203	25	25	Autopsy summary; hemorrhages, subdural or subcapsular
3722.PATH-3		4203	26	27	Autopsy summary; conditions, other, first
3723.PATH-3		4203	28	29	Autopsy summary; conditions, other, second
3724.PATH-3		4203	30	31	Autopsy summary; conditions, other, third
3725.....		4203	32	80	Blank

AUTOPSY PROTOCOL

1. PATIENT IDENTIFICATION

2. FINAL DIAGNOSIS

MICROSCOPIC EXAMINATION OF BRAIN

INCLUDED EXCLUDED

GROSS SECTIONING OF BRAIN

INCLUDED EXCLUDED

COL. CODE

- 1 _____
- 2-5 _____
- 6-14 _____
- 15 _____
- 16 _____
- 17 _____
- 18-19 _____
- 20 _____
- 21-22 _____
- 23-26 _____
- 27-30 _____
- 31-34 _____
- 35-38 _____
- 39-42 _____
- 43-46 _____
- 47-50 _____
- 51-54 _____
- 55-58 _____
- 59-62 _____
- 63-66 _____
- 67-70 _____
- 71-74 _____
- 2nd Card Used _____

COLR-3832-1
3-81

AUTOPSY PROTOCOL

3. FINAL NOTE (Discussion & Summary)

1. PATIENT IDENTIFICATION

AUTOPSY PROTOCOL

4. PROSECTOR _____ 5. AUTOPSY NO. _____

6. DATE OF AUTOPSY _____ 7. TIME OF AUTOPSY _____
Mo. Day Yr. (24 hour clock)

8. DATE OF DEATH _____ 9. TIME OF DEATH _____ 10. AGE _____ 11. SEX _____
Mo. Day Yr. (24 hour clock) 1. MALE 2. FEMALE 3. UNDETERMINED 12. WEIGHT (gms)

13. LENGTH (cms) _____ 14. STILLBIRTH _____ 15. RACE _____
CROWN RUMP _____ 1. YES _____ 1. WHITE _____
CROWN HEEL _____ 2. NO _____ 2. NEGRO _____
(Larger) FOOT _____ 3. OTHER _____

16. SKIN
 NORMAL ABNORMAL NOT EXAMINED
OR 1 OR 2

- 1. MACERATION SLIGHT
- 2. MACERATION MODERATE
- 3. MACERATION SEVERE
- 4. EDEMA, GENERALIZED
- 5. EDEMA, LOCALIZED
- 6. POOR TURGOR
- 7. PALLOR
- 8. ICTERUS
- 9. CYANOSIS, GENERALIZED
- 10. CYANOSIS, LOCALIZED
- 11. HEMORRHAGES
- 12. MECONIUM STAINING, FRESH
- 13. ABNORMAL PIGMENTATION
- 14. SIGNS OF WEIGHT LOSS
- 15. SCALING
- 16. SCLEREMA
- 17. NAILS
- 18. FORCEPS MARK
- 19. CORD MARK
- 20. NEEDLE PUNCTURE MARK
- 21. WOUNDS
- 22. SCARS
- 23. HAIR COLOR _____
- 24. BODY HAIR
- 25. DERMATOSES
- 26. TUMORS
- 27. MALFORMATIONS
- 28. OTHER

17. EXTERNAL LYMPH NODES
 NORMAL ABNORMAL NOT EXAMINED
OR 1 OR 2

AUTOPSY PROTOCOL

1. PATIENT IDENTIFICATION

18. HEAD AND NECK

NORMAL ABNORMAL NOT EXAMINED
OR OR OR

1. OCCIPITO FRONTAL CIRCUMFERENCE

_____ CM

2. FACIES
3. CAPUT
4. MOLDING
5. PUPILS
6. IRIS COLOR

7. EYE, OTHER
8. EARS, PINNAE
9. EARS, AUDITORY CANAL
10. NARES
11. CHOANA
12. MOUTH
13. TONGUE
14. PALATE
15. TEETH
16. MANDIBLE
17. NECK
18. ANENCEPHALY
19. MALFORMATIONS
20. OTHER

19. CHEST

NORMAL ABNORMAL NOT EXAMINED
OR OR OR

1. CIRCUMFERENCE AT NIPPLE LINE

_____ CM

2. SYMMETRY
3. NIPPLES
4. MALFORMATION
5. OTHER

20. ABDOMEN

NORMAL ABNORMAL NOT EXAMINED
OR OR OR

1. CIRCUMFERENCE OF ABDOMEN AT UMBILICUS

_____ CM

OPTIONAL MEASUREMENTS

2. UMBILICAL STUMP

LENGTH _____ CM

3. COLOR OF UMBILICAL CORD
4. INFLAMMATION OF UMBILICAL CORD
5. HERNIAS
6. OMPHALOCELE
7. MALFORMATIONS
8. OTHERS

I. PATIENT IDENTIFICATION

AUTOPSY PROTOCOL

21. BACK

NORMAL ABNORMAL NOT EXAMINED
OR I OR

1. CURVATURE OF SPINAL COLUMN
2. SPINA BIFIDA
3. MENINGO - MYELOCELE
4. OTHER MALFORMATIONS
5. OTHER

22. GENITALIA

NORMAL ABNORMAL NOT EXAMINED
OR I OR

1. VULVA
2. URETHRAL ORIFICE
3. VAGINA
4. PENIS CIRCUMCISED
5. PENIS
6. TESTIS UNDESCENDED RIGHT LEFT
7. TESTES
8. MALFORMATION
9. OTHER

23. ANUS

NORMAL ABNORMAL NOT EXAMINED
OR I OR

1. PATENCY
2. POSITION
3. FISTULA
4. MALFORMATION
5. OTHER

24. EXTREMITIES

NORMAL ABNORMAL NOT EXAMINED
OR I OR

1. MUSCLE MASS
2. NUMBER OF FINGERS
3. NUMBER OF TOES
4. MALFORMATION
5. OTHER

25. CHEST WALL

NORMAL ABNORMAL NOT EXAMINED
OR I OR

4. EDEMA
5. MUSCLE
6. BREASTS

1. PNEUMOTHORAX, LEFT _____ CC.
2. PNEUMOTHORAX, RIGHT _____ CC.

OPTIONAL MEASUREMENTS

3. SUBCUTANEOUS FAT, THICKNESS _____ MM.

AUTOPSY PROTOCOL

26. ABDOMEN, INTERNAL

NORMAL ABNORMAL NOT EXAMINED
OR

1. SUBCUTANEOUS FAT AT UMBILICUS _____ CM.

2. CONTENTS _____ CC.

3. DIAPHRAGM

LEFT: _____ TH RIB, I. C. SPACE

RIGHT: _____ TH RIB, I. C. SPACE

OPTIONAL MEASUREMENTS

4. ROOT OF MESENTERY _____ CM.

5. RADII OF MESENTERY _____ CM.

6. LIVER EXTENDS _____ CM.

BELOW COSTAL MARGIN IN RIGHT
MID CLAVICULAR LINE

7. LIVER MARGIN _____ CM. IN
MIDLINE

8. LIVER DISAPPEARS UNDER LEFT COSTAL
MARGIN _____ CM. FROM MIDLINE

9. GALL BLADDER EXTENDS _____ CM.
BELOW LIVER EDGE

10. SPLEEN EXTENDS _____ CM. BELOW
COSTAL MARGIN

11. BLADDER EXTENDS _____ CM. ABOVE
PUBIS

12. ABDOMINAL MUSCULATURE

13. SITUS

14. RIGHT UMBILICAL ARTERY ABSENT

15. LEFT UMBILICAL ARTERY ABSENT

16. URACHUS

17. UMBILICAL VEIN

18. FLUID CONTENT

19. FLUID COLOR AND ASPECT

20. GASEOUS CONTENT

21. PERITONEAL SURFACE DULLNESS

22. ADHESIONS

23. PERFORATED VISCUS

24. DIAPHRAGM, HERNIA

25. DIAPHRAGM, EVENTRATION

26. INTERNAL GENITALIA

27. MALFORMATION

28. OTHER

27. CHEST, INTERNAL

NORMAL ABNORMAL NOT EXAMINED
OR

1. FLUID CONTENT

RIGHT PLEURAL CAVITY _____ CC.

2. FLUID CONTENT

LEFT PLEURAL CAVITY _____ CC.

3. PERICARDIAL CONTENT _____ CC.

4. THYMUS WT. _____ GMS.

OPTIONAL MEASUREMENTS

5. CARDIO-THORACIC RATIO _____ CM. / _____ CM.

6. THYMUS MAX. DIAMETERS: _____ X _____ X _____ CMS.

7. PLEURAL SURFACE

8. MEDIASTINUM

9. PERICARDIAL SURFACE

10. THYMUS

11. SUP. V. CAVA

12. LEFT SUP. V. CAVA

13. ABN. VESSELS, DIAPHRAGM

14. MALFORMATION

15. OTHER

AUTOPSY PROTOCOL

28. HEART & GREAT VESSELS

NORMAL ABNORMAL NOT EXAMINED

1. HEART WEIGHT _____ GMS.
2. HEART & LUNG WEIGHT _____ GMS.
(IF MALFORMATIONS PRESENT)
3. DEFECT OF VALVE OF FORAMEN
OVALE _____ CM.
4. TRICUSPID VALVE CIRC. _____ CM.
5. PULMONARY VALVE CIRC. _____ CM.
6. THICKNESS RIGHT VENTRICLE _____ CM.
7. MITRAL VALVE CIRC. _____ CM.
8. AORTIC VALVE CIRC. _____ CM.
9. THICKNESS LEFT VENTRICLE _____ CM.
10. ATRIAL SEPTUM (SEPTUM SECUNDUM
DEFECT) _____ CM.
11. VENTRICULAR SEPTAL DEFECT
A-V COMMUNIS TYPE _____ CM.
12. VENTR. SEPTAL DEFECT
MEMBRANOUS _____ CM.
13. VENTR. SEPTAL DEFECT MUSCULAR
_____ CM.
- OPTIONAL MEASUREMENTS
14. FOSSA OVALIS DIAMETER _____ CM.
15. FORAMEN OVALE PATENT FOR PROSE
_____ CM. IN DIAMETER
16. CIRCUMFERENCE OF LARGER OF LEFT COMMON
CAROTID OR SUBCLAVIAN _____ CM.
17. CIRCUMFERENCE OF AORTIC ISTHMUS _____ CM.
18. MAX. CIRC. DUCTUS ARTERIOSUS _____ CM.

19. RIGHT ATRIUM
20. CORONARY SINUS
21. SUPERIOR VENA CAVA
22. INFERIOR VENA CAVA
23. FOSSA OVALIS
24. FORAMEN OVALE, CLOSURE
25. TRICUSPID VALVE
26. TRICUSPID ATRESIA
27. RIGHT VENTRICLE
28. VENTRICULAR SEPTUM
29. PULMONARY INFUNDIBULAR STENOSIS
30. PULMONARY VALVE STENOSIS
31. PULMONARY VALVE ATRESIA
32. PULMONARY ARTERY
33. LEFT ATRIUM
34. PULMONARY VEIN DRAINAGE
35. MITRAL VALVE
36. MITRAL ATRESIA
37. LEFT VENTRICLE
38. AORTIC VALVE
39. AORTIC ATRESIA
40. AORTA
41. CORONARY ARTERIES
42. COARCTATION OF AORTA
43. RIGHT AORTIC ARCH
44. ANOMALOUS GREAT VESSELS
45. PATENT DUCTUS ARTERIOSUS
46. ENDOCARDIUM
47. MYOCARDIUM
48. MALFORMATION
49. OTHER

AUTOPSY PROTOCOL

29. LUNGS

NORMAL ABNORMAL NOT EXAMINED
OR _{OR} _I _{OR}

- 1. WT. RIGHT LUNG _____ GMS.
- 2. WT. LEFT LUNG _____ GMS.
- 3. NUMBER OF LOBES, RIGHT _____, LEFT _____

- 4. RIGHT LUNG DOES NOT FLOAT IN WATER
- 5. LEFT LUNG DOES NOT FLOAT
- 6. RT. LUNG
- 7. LT. LUNG
- 8. AERATION
- 9. CUT SURFACE
- 10. CONSISTENCY
- 11. PLEURAL LYMPHATICS
- 12. EMPHYSEMA
- 12. INTERSTITIAL EMPHYSEMA
- 14. PLEURA
- 15. BRONCHI
- 16. BRONCHIAL MUCOSA
- 17. BRONCHIAL CONTENT
- 18. MALFORMATION
- 19. OTHER

30. SPLEEN

NORMAL ABNORMAL NOT EXAMINED
OR _{OR} _I _{OR}

- 1. WT. SPLEEN _____ GMS.

OPTIONAL MEASUREMENTS

- 2. SIZE _____ x _____ x _____ CMS.

- 3. CAPSULE
- 4. SUPERNUMERARY
- 5. MULTIPLE
- 6. ABSENT
- 7. CONSISTENCY
- 8. CUT SURFACE
- 9. MALFORMATION
- 10. OTHER

31. LIVER

NORMAL ABNORMAL NOT EXAMINED
OR _{OR} _I _{OR}

- 1. WT. LIVER _____ GMS.

OPTIONAL MEASUREMENTS

- 2. SIZE _____ x _____ x _____ CMS.
- 3. CIRC. DUCTUS VENOSUS _____ CM.
- 4. SPHINCTER (PORTAL END) OF DUCTUS, DIAMETER _____ CM.
- 5. PORTAL SINUS CIRC. _____ CM.
- 6. RT. PORTAL V. CIRC. _____ CM.
- 7. BILE _____ CC.

- 8. CAPSULE
- 9. PORTAL VEIN
- 10. UMBILICAL VEIN
- 11. DUCTUS VENOSUS
- 12. CUT SURFACE
- 13. CONSISTENCY
- 14. TWO TONE LIVER
COLOR RT. _____
COLOR LT. _____
- 15. GALL BLADDER
- 16. BILIARY TREE
- 17. BILE COLOR _____
- 18. MALFORMATION
- 19. OTHER

AUTOPSY PROTOCOL

32. PANCREAS

NORMAL ABNORMAL NOT EXAMINED
OR T OR

OPTIONAL MEASUREMENTS

1. PANCREAS SIZE _____ CMS.

- 2. SHAPE
- 3. ACCESSORY
- 4. CUT SURFACE COLOR
- 5. CUT SURFACE LOBULATION
- 6. CONSISTENCY
- 7. MALFORMATION
- 8. OTHER

33. G. I. TRACT

NORMAL ABNORMAL NOT EXAMINED
OR T OR

OPTIONAL MEASUREMENTS

- 1. STOM. CONT. _____ CC. (APPROX.)
- 2. JEJ.-ILEUM LENGTH _____ CMS.
- 3. LG. BOWEL LENGTH _____ CMS.
- 4. JEJ.-ILEUM MAX. DIAM. _____ MM.
- 5. LG. BOWEL MAX. DIAM. _____ MM.

- 6. ESOPH. EROSION
- 7. ESOPH. ULCERS
- 8. ESOPH. HEMORRHAGE
- 9. ESOPH. FISTULA
- 10. STOM. ASPECT
- 11. STOM. CONTENT
- 12. STOM. MUCOSA
- 13. STOM. EROSION
- 14. STOM. ULCERS
- 15. STOM. MUSC. DEFECTS
- 16. STOM. HYPERTROPHY
- 17. PYLORUS
- 18. DUODENAL ATRESIA
- 19. AMPULLA PATENCY
- 20. JEJ.-ILEAL ATRESIA
- 21. JEJ.-ILEAL CONTENT
- 22. JEJ.-ILEAL MUCOSA
- 23. MECKELS DIVERTIC
- 24. PEYERS PATCHES
- 25. COLON CONTENT
- 26. COLON MUCOSA
- 27. MEGACOLON
- 28. APPENDIX
- 29. ATRESIA OF COLON OR RECTUM
- 30. MALFORMATION
- 31. OTHER

34. ADRENALS

NORMAL ABNORMAL NOT EXAMINED
OR T OR

- 1. ADRENAL WEIGHT (COMBINED) _____ GMS.
- 2. OUTER CORTEX THICKNESS _____ MM.
- 3. INNER CORTEX THICKNESS _____ MM.

- 4. CUT SURFACE OUTER CORTEX
- 5. CUT SURFACE INNER CORTEX
- 6. MEDULLA
- 7. MALFORMATION
- 8. OTHER

AUTOPSY PROTOCOL

35. KIDNEYS

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR 2

1. WT. RT. _____ GMS.
2. WT. LT. _____ GMS.

OPTIONAL MEASUREMENTS

1. SIZE RT. _____ CM.
2. SIZE LT. _____ CM.

- 3. CAPSULE
- 6. FETAL LOBULATION
- 7. CYSTS
- 8. PELVIS
- 9. URETERS
- 10. VESSELS
- 11. CORTX
- 12. PYRAMIDS
- 13. CALYCES
- 14. VEINS
- 15. MALFORMATION
- 16. OTHER

36. BLADDER

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR 2

- 1. CONTENT
- 2. MUCOSA
- 3. WALL
- 4. URETERAL ORIFICES
- 5. URETHRA
- 6. VERUMONTANUM
- 7. MALFORMATION
- 8. OTHER

37. PROSTATE

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR 2

OPTIONAL MEASUREMENTS

1. DIAMETER _____ MM.

- 2. MALFORMATION
- 3. OTHER

38. TESTES

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR 2

OPTIONAL MEASUREMENTS

1. SIZE RT. _____ MM.
2. SIZE LT. _____ MM.
3. WEIGHT COMBINED _____ GMS.

- 4. CUT SURFACE
- 5. POSITION
- 6. MEMORRHAGE
- 7. MALFORMATION
- 8. OTHER

AUTOPSY PROTOCOL

39. OVARIES

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

1. WEIGHT COMBINED _____ GMS.

OPTIONAL MEASUREMENTS

2. SIZE RT. _____ # _____ # _____ MM.

3. SIZE LT. _____ # _____ # _____ MM.

- 4. SURFACE
- 5. CUT SURFACE
- 6. CYSTS
- 7. MALFORMATION
- 8. OTHER

40. UTERUS AND TUBES

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

- 1. UTERUS MALFORMATION
- 2. UTERUS OTHER
- 3. TUBES MALFORMATION
- 4. TUBES OTHER

41. DIAPHRAGM

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

- 1. ANOMALOUS MUSCULAR DISTRIBUTION
- 2. MALFORMATION
- 3. OTHER

42. LYMPH NODES

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

- 1. LYMPHADENOPATHY
- 2. CUT SURFACE
- 3. MALFORMATION
- 4. OTHER

AUTOPSY PROTOCOL

43. DESCENDING AORTA AND MAJOR BRANCHES

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

1. ABNORMAL BRANCHES
2. THORACIC
3. ABDOMINAL
4. INTIMA
5. MALFORMATION
6. OTHER

44. INFERIOR VENA CAVA AND MAJOR BRANCHES

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

1. THROMBOSIS
2. MALFORMATION
3. OTHER

45. NECK ORGANS

NORMAL ABNORMAL NOT EXAMINED
OR 1 OR

1. THYROID WGT. _____ GMS.

OPTIONAL MEASUREMENTS

2. THYROID SIZE _____ • _____ • _____ CM

3. PARATHYROIDS
4. SUBLINGUAL GLANDS
5. SUBMANDIBULAR GLANDS
6. PAROTID GLAND
7. THYROID
8. PHARYNGEAL MUCOSA
9. LARYNGEAL MUCOSA
10. LARYNGEAL CONTENT
11. TRACHEAL MUCOSA
12. TRACHEAL CONTENTS
13. MALFORMATION
14. OTHER

AUTOPSY PROTOCOL

46. BONE

NORMAL ABNORMAL NOT EXAMINED
OR OR OR

- 1. RIB COSTOCHONDRAL JUNCT
- 2. CANCELLOUS
- 3. CORTEX
- 4. MARROW
- 5. MALFORMATION
- 6. OTHER

47. MUSCLE

NORMAL ABNORMAL NOT EXAMINED
OR OR OR

- 1. SYMMETRY
- 2. MOISTNESS
- 3. COLOR
- 4. DEVELOPMENT
- 5. MALFORMATION
- 6. OTHER

48. SCALP, SKULL AND SPINAL CORD

NORMAL ABNORMAL NOT EXAMINED
OR OR OR

- 1. BRAIN WEIGHT _____ GMS.
- 2. ANT. FONT. _____ X _____ CM.
- 3. POST FONT. _____ X _____ CM.

- 4. CAPUT SUCCADENUM
- 5. CEPHALHEMATOMA
- 6. SCALP WOUNDS
- 7. SUTURES
- 8. FONTANELLE BULGING
- 9. FONTANELLES
- 10. BONES
- 11. FRACTURE
- 12. DURA
- 13. CSF
- 14. SUBDURAL BLOOD
- 15. FALX
- 16. TENTORIUM
- 17. DURAL SINUS
- 18. VEIN OF SALEN
- 19. LEPTOMENINGES
- 20. SYMMETRY OF HEMISPHERES
- 21. BASE OF SKULL
- 22. PITUITARY
- 23. MIDDLE EARS
- 24. SPINAL CANAL
- 25. EXTRADURAL BLOOD IN SPINE
- 26. MALFORMATION
- 27. OTHER

49. BRAIN

CUT LOCALLY SENT TO NINDS
OR OR
 MACERATED, NO FURTHER EXAMINATION NO PERMISSION
OR OR

AUTOPSY PROTOCOL

50. BACTERIOLOGY

NORMAL GROWTH NOT DONE
OR (NO GROWTH) OR

I. LIST ORGANISMS FOUND

SMEAR

CULTURE

LUNG

HEART

BLOOD

SPLEEN

LIVER

51. VIROLOGY

NORMAL GROWTH NOT DONE
OR OR

I. LIST ORGANS EXAMINED

52. PHOTOGRAPHS

TAKEN NOT TAKEN

I. LIST PHOTOS TAKEN

53. X-RAYS

TAKEN NOT TAKEN

I. LIST X-RAYS TAKEN

Form Item Numbers Linked to Data Items on PATH-3, Autopsy Protocol

ITEM NO FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
	3722.PATH-3	4703	26	27	Autopsy summary; conditions, other, first
	3723.PATH-3	4703	28	29	Autopsy summary; conditions, other, second
	3724.PATH-3	4703	30	31	Autopsy summary; conditions, other, third
	3717.PATH-3	4703	21	21	Autopsy summary; erythroblastosis fetalis
	3721.PATH-3	4703	25	25	Autopsy summary; hemorrhages, subdural or subcapsular
	3715.PATH-3	4703	19	19	Autopsy summary; hyaline membrane
	3718.PATH-3	4703	22	22	Autopsy summary; lung, stelectasis
	3711.PATH-3	4703	15	15	Autopsy summary; maceration, degree
	3712.PATH-3	4703	16	16	Autopsy summary; malformations, lethality
	3713.PATH-3	4703	17	17	Autopsy summary; malformations, major
	3714.PATH-3	4703	18	18	Autopsy summary; malformations, minor
	3720.PATH-3	4703	24	24	Autopsy summary; retechiear, other than subdural/subcapsular
	3716.PATH-3	4703	20	20	Autopsy summary; neusonoma, other than interstitial or viral
	3719.PATH-3	4703	23	23	Autopsy summary; pulmonary hemorrhage
	3687.PATH-3	2203	22	23	Autopsy: age at death, postnatal
	3652.PATH-3	1203	22	23	Autopsy: age at death, postnatal
	3688.PATH-3	2203	24	27	Autopsy: birth weight
	3651.PATH-3	1203	24	27	Autopsy: birth weight
	3661.PATH-3	1203	42	42	Autopsy: brain disposition
	3679.PATH-3	1203	76	76	Autopsy: diagnosis, degree of involvement
	3664.PATH-3	1203	47	48	Autopsy: diagnosis, derived from gross, micro, etc.
	3665.PATH-3	1203	49	49	Autopsy: diagnosis, derived from placenta, mother, father, etc.
	3677.PATH-3	1203	74	74	Autopsy: diagnosis, etiologic, deviations
	3671.PATH-3	1203	62	65	Autopsy: diagnosis, etiologic, deviations
	3678.PATH-3	1203	75	75	Autopsy: diagnosis, etiologic, SNOF
	3673.PATH-3	1203	67	70	Autopsy: diagnosis, functional, deviations
	3680.PATH-3	1203	77	77	Autopsy: diagnosis, functional, SNOF
	3676.PATH-3	1203	73	73	Autopsy: diagnosis, laterality
	3669.PATH-3	1203	57	73	Autopsy: diagnosis, morphologic, deviations
	3666.PATH-3	1203	50	60	Autopsy: diagnosis, morphologic, SNOF
	3675.PATH-3	1203	72	72	Autopsy: diagnosis, sequence number
	3667.PATH-3	1203	52	55	Autopsy: diagnosis, topographic, deviations
	3663.PATH-3	1203	45	46	Autopsy: diagnosis, topographic, SNOF
	3660.PATH-3	1203	40	41	Autopsy: diagnosis; anatomic, for abortion
	3650.PATH-3	1203	19	19	Autopsy: editor
	3685.PATH-3	2203	19	19	Autopsy: event type
	3686.PATH-3	2203	19	19	Autopsy: event, type
	3651.PATH-3	1203	20	21	Autopsy: gestation at birth (wks)
	3706.PATH-3	2203	75	76	Autopsy: gestation at birth (wks)
	3649.PATH-3	1203	15	18	Autopsy: hours since death
	3684.PATH-3	2203	15	18	Autopsy: lab accession number
	3693.PATH-3	2203	36	39	Autopsy: lab accession number
					length; crown heel (cm)

Form Item Numbers Linked to Data Items on PATH-3, Autopsy Protocol

ITEM ON FORM	DATA ITEM ID	CARD NUM	FROM	TO	DATA ITEM NAME
	3692.PATH-3	2203	33	35	Autopsy: length; crown rump (cm)
	3659.PATH-3	1203	38	39	Autopsy: microscopic done by
	3662.PATH-3	1203	43	44	Autopsy: pathologist, enter
	3691.PATH-3	2203	30	32	Autopsy: placenta, weight (gms)
	3658.PATH-3	1203	36	37	Autopsy: prospector
	3655.PATH-3	1203	29	29	Autopsy: race
	3690.PATH-3	2203	29	29	Autopsy: race
	3656.PATH-3	1203	30	30	Autopsy: race, source of information
	3654.PATH-3	1203	28	28	Autopsy: sex
	3689.PATH-3	2203	29	28	Autopsy: sex
	3657.PATH-3	1203	31	35	Autopsy: weight at autopsy (gms)
	3694.PATH-3	2203	40	44	Autopsy: weight, at autopsy (gms)
	3701.PATH-3	2203	62	63	Autopsy: weight; adrenals (gms)
	3704.PATH-3	2203	70	73	Autopsy: weight; brain (gms)
	3696.PATH-3	2203	47	48	Autopsy: weight; heart (gms)
	3703.PATH-3	2203	67	69	Autopsy: weight; kidney, left (gms)
	3702.PATH-3	2203	64	66	Autopsy: weight; kidney, right (gms)
	3700.PATH-3	2203	58	61	Autopsy: weight; liver (gms)
	3698.PATH-3	2203	57	54	Autopsy: weight; lung, left (gms)
	3697.PATH-3	2203	49	51	Autopsy: weight; lung, right (gms)
	3699.PATH-3	2203	55	57	Autopsy: weight; spleen (gms)
	3695.PATH-3	2203	45	46	Autopsy: weight; thymus (gms)
	3707.PATH-3	2203	77	77	State of body when received
	3705.PATH-3	2203	74	74	Weights, how recorded

DEFINITION OF CODES
 AUTOPSY PROTOCOL
 PATH-3 CARD 1203
 DIAGNOSTIC CARD

<u>FIELD</u>	<u>CARD COLUMN</u>
1. <u>Card Number</u> Code: 1	1
2. <u>Form Number</u> Code: 203	2-4
3. <u>Revision Number</u> Code: 1 - Data abstracted from Autopsy Report	5
4. <u>NEEDB Number</u> Nine-digit number for Patient Identification Code: As given	6-14
5. <u>Lab Accession Number</u> Code: As assigned to specimen in lab. 9999 - Not applicable XXXX * - Number assigned by Yakovlev (Warren Museum)	15-18
6. <u>Type of Event</u> Code: 1 - Abortion, Hydatidiform Mole, Ectopic Pregnancy 2 - Stillbirth, fresh 3 - Stillbirth, macerated 4 - Livebirth	19
7. <u>Weeks of Gestation at Birth</u> Code: 01-50 - As given 99 - Unknown	20-21
8. <u>Postnatal Age at Death</u> Code: 00 - Less than 30 minutes 01 - Age 30 minutes-1 hour 02-47 - 2-47 hours 50-78 - 2-30 days (e.g. 50 = 2 days, 76 = 28 days)	22-23

* X represents any number

DEFINITION OF CODES (Continued)

FORM PATH-3
CARD 1203

<u>FIELD</u>		<u>CARD COLUMN</u>
15.	<u>Microscopic Done by:</u> See Attachment "Microscopic"	38-39
16.	<u>Editor</u> See Attachment "Editor"	40-41
17.	<u>Brain Disposition</u> Code: 1 - Sent to NINDB 2 - Cut locally 3 - No further examination 4 - No permission 5 - Sent to Yakovlev (Warren Museum) 6 - Partial to NINDB 9 - Unknown	42
18.	<u>Coder Pathologist</u> See Attachment "Pathologist"	43-44
19.	<u>Anatomic Diagnosis for Abortion</u> Code: 00 - Not Applicable (Non-Abortion) 01 - Specimen composed of villi only 02 - Ruptured empty vesicle 03 - Intact empty vesicle 04 - Nodular or cylindrical embryo 05 - Formed fetus with congenital anomalies: no autopsy done 06 - Formed fetus with congenital anomalies: autopsy done 07 - Stated in FED-4: no pathologic examination done 08 - Pathologic Examination done 09 - By history only 10 - Ruptured vesicle with cord stump identified 11 - Cord and placenta, but not fetus, available for examination 12 - Specimen composed of decidua only 13 - Embryo identified, but unknown whether normal or abnormal	45-46
20.	<u>Diagnosis was Derived from:</u> Code: 01 - Gross of viscera only 02 - Gross of viscera and summary of micro report 03 - Gross of viscera and full micro report	47-48

DEFINITION OF CODES (Continued)

FORM PATH-
CARD 1203

<u>FIELD</u>		<u>CARD COLUMN</u>
20.	<p><u>Diagnosis was Derived from:</u> (continued)</p> <p>Code: 04 - 3+ gross of brain 05 - 4+ micro of brain 06 - Combination of other than above 07 - Inadequate data (information from PED-4, death certificate, abstract of protocol, etc.) 08 - Path-1 and Path-2 09 - Not applicable (maternal, siblings, father, relative, etc.) 10 - Narrative Path report for abortion 11 - Placenta Diagnosis derived from summary of PATH-3</p>	47-48
21.	<p><u>Diagnosis is That of:</u></p> <p>Code: 1 - Offspring 2 - Mother (obstetrical) 3 - Placenta 4 - Siblings 5 - Father 6 - Other relative 7 - Maternal death</p>	49
22.	<p><u>Number Assigned to Diagnosis</u></p> <p>Code: 00-99 - As given</p>	50-51
23.	<p><u>DIAGNOSES</u></p> <p><u>Topographic Diagnosis</u> (cols. 52-56)* Refer to "Systematized Nomenclature of Pathology" for codes</p> <p><u>Morphologic Diagnosis</u> (cols. 57-61)* Refer to "Systematized Nomenclature of Pathology" for codes</p> <p><u>Etiologic Diagnosis</u> (cols. 62-66)* Refer to "Systematized Nomenclature of Pathology" for codes</p> <p><u>Functional Diagnosis</u> (cols. 67-71)* Refer to "Systematized Nomenclature of Pathology" for codes</p>	52-71
<p>* Cols. 56, 61, 66 and 71 are blank.</p>		

DEFINITION OF CODES (Continued)

FORM PATH-3
Card 1203

FIELD

CARD
COLUMN

24. DEVIATIONS

72-75

Deviation from Topographic Diagnosis (col. 72)

- Code: 0 - No deviation
1 - Upgrading of diagnosis
2 - Downgrading of diagnosis
3 - Location adjacent to specific organ

Deviation from Morphologic Diagnosis (col. 73)

- Code: 0 - No deviation
1 - Upgrading of diagnosis, partial
2 - Downgrading of diagnosis; with 0001 in cols. 56-59 indicates death due to unknown cause
3 - Diagnosis unverified by PRB slide review
4 - Remote, by history
5 - Diagnostic variance based on PRB slide review

Deviation from Etiologic Diagnosis (col. 74)

- Code: 0 - No deviation
1 - Upgrading of diagnosis, partial
2 - Downgrading of diagnosis
4 - Remote, by history

Deviation from Functional Diagnosis (col. 75)

- Code: 0 - No deviation
1 - Upgrading of diagnosis, partial
2 - Downgrading of diagnosis
3 - Diagnosis unverified by PRB slide review
4 - Remote, by history
5 - Diagnostic variance based on PRB slide review

25. Degree of Involvement

76

- Code: 0 - Unspecified
1 - Slight
2 - Moderate
3 - Severe or marked
4 - Not applicable

26. Laterality

77

- Code: 0 - Unspecified
1 - Right
2 - Left
3 - Bilateral
4 - Not applicable

NOTE: A card is punched for each diagnosis. Card cols. 1-46 are repeated on each card.

DEFINITION OF CODES (Continued)

FORM PATH-3
WEIGHT CARD
CARD 2203

<u>FIELD</u>	<u>CARD COLUMN</u>
1. <u>Card Number</u> Code: 2	1
2. <u>Basic Data</u> Same as in cols. 2-29 of Card 1	2-29
3. <u>Placenta Weight</u> Code: As given in grams 998 - 998 grams and over 999 - Unknown, not available	30-32
4. <u>Crown-Rump Length</u> Code: As given to tenths of cm. 989 - 98.9 cms. and over 999 - Unknown	33-35
5. <u>Crown-Heel Length</u> Code: As given to tenths of cm. 9989 - 998.9 cms. and over 9999 - Unknown	36-39
6. <u>Body Weight at Autopsy</u> Code: As given in grams 99999 - Unknown	40-44
7. <u>Thymus Weight</u> Code: As given in grams 00 - Under 0.5 grams 98 - 98 grams or over 99 - Unknown	45-46
8. <u>Heart Weight</u> Code: As given in grams 00 - Under 0.5 grams, combined with lungs 98 - 98 grams or more 99 - Unknown	47-48

DEFINITION OF CODES (Continued)

FORM PATH-3
WEIGHT CARD
CARD 2203

<u>FIELD</u>	<u>CARD COLUMN</u>
<p>9. <u>Right Lung Weight or Combined Weights for Lungs and/or Heart</u> Code: As given in grams 000 - Under 0.5 grams 998 - 998 grams or more 999 - Unknown</p>	<p>49-51</p>
<p>10. <u>Left Lung Weight</u> Code: As given in grams 000 - Combined with right lung and/or heart, under 0.5 grams 998 - 998 grams or over 999 - Unknown</p>	<p>52-54</p>
<p>11. <u>Spleen Weight</u> Code: As given in grams 000 - Under 0.5 grams 998 - 998 grams or over 999 - Unknown</p>	<p>55-57</p>
<p>12. <u>Liver Weight</u> Code: As given in grams 0000 - Under 0.5 grams 9998 - 9998 grams or over 9999 - Unknown</p>	<p>58-61</p>
<p>13. <u>Adrenals Weight</u> Code: As given in grams 00 - Under 0.5 grams 98 - 98 grams or over 99 - Unknown</p>	<p>62-63</p>
<p>14. <u>Right Kidney Weight or Combined Kidney Weight</u> Code: As given in grams 000 - Under 0.5 grams 998 - 998 grams or over 999 - Unknown</p>	<p>64-66</p>
<p>15. <u>Left Kidney Weight</u> Code: As given in grams 000 - Combined with right kidney, under 0.5 grams 998 - 998 grams or over 999 - Unknown</p>	<p>67-69</p>

DEFINITION OF CODES (Continued)

FORM PATH-3
WEIGHT CARD
Card 2203

FIELD

CARD
COLUMN

16. Brain Weight
Code: As given in grams
0000 - Under 0.5 grams
9998 - 9998 grams or over
9999 - Unknown 70-73
17. How Weights Were Recorded
Code: 1 - All paired organs weighed
separately except adrenals 74
2 - Lungs combined
3 - Kidneys combined
4 - Heart and lungs combined
5 - Combination of codes 2 and 3
6 - Lungs combined with organs other
than heart
7 - Combination of codes 3 and 4
8 - Other organ combination
9 - Unknown
18. Interval From Death to Autopsy in Hours
Code: 00 - Less than one hour 75-76
01-96 - As given in hours
97 - 97 hours or over
98 - Not applicable
99 - Unknown
19. State of Body When Received for Autopsy
Code: 1 - Unspecified, unfixed or unknown 77
2 - Fixed or in fixative solution
3 - All organs unfixed except brain
-

DEFINITION OF CODES (Continued)

FORM PATH-3
 OFFSPRING DIAGNOSIS
 Card 4203

<u>FIELD</u>	<u>CARD COLUMN</u>
1. <u>Card Number</u> Code: 4	1
2. <u>Form Number</u> Code: 203	2-4
3. <u>Revision Number</u> Code: 1 - Data Abstracted from autopsy report	5
4. <u>NINDB Number</u> Nine-digit number for Patient Identification Code: As given	6-14
SUMMARY	
5. <u>Degree of Maceration</u> Code: 0 - Not applicable 1 - Slight 2 - Moderate 3 - Severe 4 - Present but degree unknown	15
6. <u>Congenital Malformations</u> Three-digit code for: <u>Lethality</u> (col. 16) Code: 0 - None 1 - Non-lethal 2 - Lethal <u>Major Malformations</u> (col. 17) <u>Minor Malformations</u> (col. 18) Code for each column: 0 - None 1 - Single system 2 - Multiple systems	16-18
7. <u>Eyaline Membrane</u> Code: 0 - None 1 - Slight 2 - Moderate 3 - Present but degree unknown	19

DEFINITION OF CODES (Continued)

FORM PATH-3
OFFSPRING DIAGNOSIS
Card 4203

<u>FIELD</u>		<u>CARD COLUMN</u>
8.	<u>Pneumonia: Other than Interstitial or Viral</u> Code: Same as in Field 7	20
9.	<u>Erythroblastosis Fetalis</u> Code: 0 - None 1 - Present but not otherwise specified 2 - Hydrops	21
10.	<u>Atelectasis</u> Code: Same as in Field 7	22
11.	<u>Pulmonary Hemorrhage</u> Code: Same as in Field 7	23
12.	<u>Petechiae: Other than Sub-Dural or Sub-Capsular</u> Code: 0 - None 1 - Single organ 2 - Multiple organs 3 - Sub-arachnoid or intra-ventricular hemorrhage 4 - Combination of codes 1 and 3 5 - Combination of codes 2 and 3	24
13.	<u>Hemorrhages: Sub-Dural or Sub-Capsular</u> Code: 0 - None 1 - Sub-capsular only 2 - Sub-dural only 3 - Combination of codes 1 and 2 4 - Extra-dural only 5 - Combination of codes 1 and 4 6 - Combination of codes 2 and 4 7 - Combination of codes 1, 2, and 4	25
14.	<u>Other Conditions</u> Six-digit code for: <u>First Condition</u> (cols. 26-27) <u>Second Condition</u> (cols. 28-29) <u>Third Condition</u> (cols. 30-31) Code for each two columns: See attachment "Offspring Diagnoses" page PATH-3-18	26-31

Codes for Prosector; Micro by;
Editor; and Pathology, By Hospital

Editors

01 Laten
02 Grunberg
03 Fletcher
04 Gordon
05 Laskey
06 Meyers
07 Froehlich
08 Greenfield

Coder - Pathologists

01 Froehlich
02 Fujikura
03 Valsamis

Prosector - Microscopic

Hospital - 05

00 Medical Examiner
01 Witzleben
02 Diamandopoulos
03 Nasongkhla
04 Takuchi
05 Vawter
06 Branch
07 Singer
08 Craig
09 Wiebanks
10 Safon
11 Haim
12 Beernich
13 Massad
14 Cooper
15 Feldman
16 Richart
17 Gochberg
18 Yassin
19 Martin
20 Ellington
21 Beglin
22 Potter
23 Broderick
24 Raslavicus
25 Griffiths

Hospital - 05 (cont.)

26 Dekker
27 Johnson
28 Bhaktaviziam
29 Fanning
30 El Massry
31 Goldstein
32 Haran
33 Fox
34 Brown
35 Savena
36 Barton
37 Miranda
38 Quan
39 McCombs
40 Grover
41 Garcilago
42 Jockin
43 Jasemovich
44 Sullivan
45 Bradford
46 de Nencia
47 Nassiri
48 Devine
49 Hajj
50 Lauro
51 Driscoll
52 Shapiro
53 Fess
54 Frederick
55 Sharp
56 Ross
57 Benerschke
58 Farber
59 Dickerson
60 Brochin
61 Davidson
62 Ring
63 Sander
64 Soma
65 Stauffer
66 Smith
67 Cohen

Prosector - Microscopic (cont.)

Hospital - 05 (cont.)

68 Aires
69 Alvarado
70 Fung
71 Mechanic
72 Paci
73 Deligiorgi
74 Favara
75 Santos
76 Seradj
77 Parthenis
78 Leonidas
79 Rodriques
80 Hedley
81 O'Halloran
82 Edlow
83 King
84 Allen
85 Sato
86 Shen
87 Rananuvare
88 Swanson
89 Laga
90 Malouf
91 Choi
92 Freeman
93 Tegtmeyer
94 Davt
95 Suh
96 Other, not elsewhere specified
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 10

00 Medical Examiner
01 O'Sullivan
02 Terplan
03 Froehlich
04 Legnami
05 Lohoczky
06 Aterman
07 Harrod
08 Lukas
09 Tongco
10 Abaci
11 Kazi
12 Fiero

Hospital - 10 (cont.)

13 Bazavgan
14 Robinson
15 Lopez
97 Non Study Pathologist
98 Micro Not Done

Hospital - 15

00 Medical Examiner
01 Bergeron
02 Dent
03 Burch
04 Gilmer
05 Stern
06 Halthous
07 Foley
08 Rosal
09 Sculley
10 Sternberg
11 Froehlich
12 Elliott
13 Welch
14 Smilow
15 Smith
16 Samuels
17 Henderson
18 Holcomb
19 Medauar
20 Simpson
21 Prater
22 Reed
23 White
24 Trueting
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 21

00 Medical Examiner
01 Miller
02 Beans
03 Blanc
04 Chlebus
05 Kauffman
06 Devlin
07 Ores
08 Navarro
09 Rutgers
10 Levy
11 Malcolmson
12 Truscott
13 Ferrin
14 Cushman
15 Dische
16 Boyer

Prosector - Microscopic (cont.)

Hospital - 31 (cont.)

17 Beatrice
18 Borsicsky
19 Glenn
20 Tovall
21 Janovski
22 Flaxman
23 Dunn
24 Kelly
25 Weir
26 Anderson
27 Godd
28 Gates
29 Froehlich
30 Bowyer
31 Perzin
32 Blechner
33 King
34 Chenault
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 37

00 Medical Examiner
01 Brown
02 Gruenwald
03 Frost
04 Fusch
05 Sutton
06 Tseng
07 Boitnott
08 Micastrri
09 Jordan
10 Hannibal
11 Norton
12 Shanb
13 O'Toole
14 Baens
15 Linthicum
16 Shelley
17 Carter
18 Berman
19 Clowry
20 Esterly
21 Lee
22 Porro
23 Robson
24 Lane
25 Haghighi
26 Wheeler
27 Fatterson
28 Hutchins
29 Pappas

Hospital - 37 (cont.)

30 Johnson
31 O'Quinn
32 Harper
33 Nicholson
34 Garrett
35 Wilson
36 Wilkinson
37 Leiby
38 Merrill
39 Gregg
40 Gray
41 Richmond
42 Elliott
43 Patchefsky
44 Hartman
45 Christian
46 Eggleston
47 Neill
48 Tann
49 Levine
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 45

00 Medical Examiner
01 Ishisaki
02 Madge
03 Calle
04 Belter
05 Bates
06 Hanscarger
07 Rose
08 Diggs
09 Goodwin
10 Friedrich
11 Clark
12 Richart
13 Donahue
14 Graham
15 Repass
16 Burton
17 Lardizabal
18 Richany
19 Seavice
20 Burkhart
21 Makoneczna
22 Davis
23 Smith
24 Daly
25 Thomas
26 Froehlich
27 Eain
28 Rogers

Prosecutor - Microscopic (cont)

Hospital - 45 (cont.)

29 Elswick
30 Evans
31 White
32 Keely
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 50

00 Medical Examiner
01 Fattah
02 Hern
03 Burke
04 Lufkin
05 Hellan
06 Herdman
07 Guthrie
08 Eggen
09 Coe
10 Swallen
11 McKelvey
12 Froehlich
13 Golden
14 Woodburn
15 Osterberg
16 Cohen
17 Sauls
18 Gilsdorf
19 Blau
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 55

00 Medical Examiner
01 Miller
02 Salo
03 Kim
04 di Blasi
05 Shenoy
06 Cohen
07 Khan
08 Urdaneta
09 Altman
10 Domingo
11 Kish
12 Akhavan
13 Solidum
14 Mallouh
15 Froehlich
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 60

00 Medical Examiner
01 Cafaro
02 Emig
03 Hunter
04 Fujikura
05 Sweeny
06 Little
07 Long
08 Lehman
09 Smith
10 Clare
11 Gelsey
12 Castro
13 Joshi
14 Vinyard
15 Price
16 Graham
17 Lipkin
18 Froehlich
19 Philip
20 Strunk
21 Larson
22 Gourley
23 Paff
24 Hiron
25 Sawyer
26 Thomas
27 Walker
28 Crisera
29 Rippey
30 Odell
31 Abed
32 Malison
33 Kochler
34 Hoskins
35 Evans
36 Lee
37 Lehfeldt
38 Horn
97 Non-Study Pathologist
98 Micro Not Done

Prosector - Microscopic (cont.)

Hospital - 66

00 Medical Examiner
01 Baker
02 Chatten
03 McConaghie
04 Yakovac
05 Colston
06 Knayer
07 Eriksen
08 Amurao
09 Frederick
10 Piampitti
11 Spelman
12 Pendleton
13 Fillinger
14 Kanari
15 Scarano
16 Depena
17 Schiller
18 Weston
19 Muniz
20 Sharpe
21 Isaacs
22 Lerner
23 Ziel
24 McGaughey
25 Pappcu
26 Gonzalez
27 Campbell
28 Aronson
29 Seidel
30 Vakil
31 Mikat
32 Salim
33 Weidman
34 Schultze
35 Viola
36 Beatty
37 Hausman
38 Lahoda
39 Zacks
40 Crane
41 Rose
42 Decker
43 Olen

Hospital - 66 (cont.)

44 Tenastépe
45 Siegler
46 Lewis
47 Meyers
48 Lee
49 O'Brien
50 Whitely
51 Helsel
52 Longo
53 Currie
54 Lubin
55 Peck
56 Arden
57 Eisinger
58 Linsk
59 Elton
60 Francis
61 Gillespy
62 Froehlich
63 Stanitcki
64 Lipkin
65 Scott
97 Non-Study Pathologist
98 Micro Not Done

Hospital - 71

00 Medical Examiner
01 Anderson
02 Song
03 Freeman
04 Greene
05 Deddoe
06 Mold
07 Robinson
08 Seibert
09 Froehlich
97 Non-Study Pathologist
98 Micro Not Done

Prosector - Microscopic (cont.)

Hospital - 82

00 Medical Examiner
01 Johnson
02 Sprunt
03 Francisco
04 Essman
05 Fuste
06 Iglesias
07 Duckworth
08 Martinez
09 Coleman
10 Cracker
11 Yates
97 Non-Study Pathologist
98 Micro Not Done

OFFSPRING DIAGNOSES

<u>Code</u>	<u>Name</u>		
<u>Infections</u>		<u>Metabolic, Familial and Other Disorders</u>	
01	Meningitis	50	Glycogen Storage Disease
02	Septicemia	51	Glycogenosis
03	Interstitial Pneumonia	52	Dysgamma globulinemia
04	Herpes	53	Fibrocystic Disease
05	Peritonitis other than meconium peritonitis	54	Waterhouse - Friederichsen
06	Aspiration Pneumonia	55	Wolf Parkinson White Syndrome
07	Omphalitis	56	Werdnig - Hoffman
08	Cellulitis	57	Riley - Day Syndrome
09	Rheumatic Heart Disease		
10	Infections NOS		
<u>Injuries</u>		<u>Mechanical Abnormality</u>	
20	Traumatic NOS	60	Thrombosis, Vein of Galen
21	Possible Birth Injury	61	Thrombosis, lungs
22	Laceration, Vein of Galen	62	Thrombosis, organs other than lungs
23	Tentorial Tear	63	Edema
24	Fracture, Extremity	64	Pneumothorax
25	Fracture, Skull	65	Aspiration, NOS
26	Fracture, Spine	66	Bleeding duodenal ulcer
27	Accidental Deaths	67	Meconium peritonitis
28	Lead Poisoning	68	Dehydration
		69	Kernicterus
		70	Sudden Unexplainable Fea
		71	Meconium Staining, skin
		72	Post operative State
		73	Exchange transfusion
		74	Intrauterine transfusion
		98	Other abnormalities
		00	No abnormalities
<u>Anemias</u>			
30	Sickle Cell		
31	Polycythemia		
32	Hemophilia		
33	Methemoglobinemia		
34	Letterer - Sive		
35	Spherocytosis congenital		
36	Anemia NOS		
37	ABO Incompatibility		
38	Deficiency Factor V and VII		
39	G6PD deficiencies and other specific anemias		
<u>Tumors</u>			
40	Neuroblastoma		
41	Hepatoma		
42	Wilm's Tumor		
43	Leukemia NOS		
44	Medulloblastoma		
45	Astroblastoma		
47	Neurofibroma		
48	Hemangioma of Liver or spleen or lung		
49	Granulosa cell tumor of testis		

DIAGNOSTIC CARD
FORM PATH-3

4	CRAD # 1203 REVISION #	LAB ACCESSION NUMBER	TYPE OF EXAM WEEKS OF GESTATION AT BIRTH POSTNATAL AGE AT DEATH BIRTHWEIGHT	SEX RACE SOURCE OF INFORMATION OF CASE WEIGHT AT AUTOPSY PROSECTOR MICROSCOPE DONE BY EDITOR BRAIN DEPARTMENT CODER PATHOLOGIST ANATOMICAL DIAGNOSIS FOR REPORT DIAGNOSIS WAS DERIVED FROM DIAGNOSIS IS THAT OF NUMBER ASSIGNED TO DIAGNOSIS	TOPOGRAPHIC MORPHOLOGIC ETIOLOGIC BLANK FUNCTIONAL BLANK	BLANK TOPOGRAPHIC MORPHOLOGIC ETIOLOGIC BLANK FUNCTIONAL BLANK	DEVIATIONS FROM MORPHOLOGIC ETIOLOGIC FUNCTIONAL SALES OF KNOWLEDGE UTILITY BLANK
3							
2							
1							
0							
X							
R							

* A card is punched for each diagnosis.

WEIGHT CARD
FORM PATH-3

WEIGHT	
THYMUS	
HEART	
RIGHT LUNG	
LEFT LUNG	
SPLEEN	
LIVER	
ADRENALS	
RIGHT KIDNEY	
LEFT KIDNEY	
BRAIN	
HOW WEIGHTS WERE RECEIVED	
SOURCE FROM DEATH TO AUTOPSY	
STATE OF BODY WHEN RECEIVED	
BLANK	

LAB RECEPTION NUMBER

TYPE OF EVENT

WEEKS OF GESTATION AT BIRTH

POSTNATAL AGE AT DEATH

BIRTH WEIGHT

SEX

PLACENTA (WEIGHT)

LENGTH	CROWN - RUMP
	CROWN - HEEL

SKIN

NINDB #

CARD # 2205

REVISION #

OFFERING DIAGNOSIS CARD

FORM PATH-3

1	2	3	4	5	6	7	8	9	DATA ABSTRACTED FROM AUTOPSY REPORT - SUMMARY
0	Card#	4205	1	2	3	4	5	6	BLANK
7									
8									
9									